



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS401 GENERAL LEARNING UNIT					
HS401.01	General Learning Space - Adjoining	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS401.02	General Learning Space with Independent Learning Area	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS401.07	General Learning Space - Divisible	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS401.03	Shared Learning Space with Practical Activities Area	ACOUSTIC CEILING TYPE NRC: > 0.85 Highly Absorptive Ceiling	-	-	-
HS401.04	Seminar Room- General	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS401.05	GLS Store Room	-	-	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS401.06	Practical Activities Area	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS402 SENIOR LEARNING UNIT					
HS402.01	Shared Study Space with Practical Activities Area	ACOUSTIC CEILING TYPE NRC: > 0.85 Highly Absorptive Ceiling	-	-	-
HS403.01	Senior Learning Centre with Practical Activities Area	ACOUSTIC CEILING TYPE NRC: > 0.85 Highly Absorptive Ceiling	-	-	-
HS404 SCIENCE LEARNING UNIT					
HS404.01	Science General Learning Space with Demonstration Bench	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS404.10	Small Science General Learning Space	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS404.02	Shared Science Laboratory	ACOUSTIC CEILING TYPE NRC: > 0.85 Highly Absorptive Ceiling	-	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS404.03	Seminar Room - Lab/Workshop	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS404.04	Science Preparation	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS404.06	Apparatus Store Room	-	-	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS404.07	Apparatus Storage	-	-	-	-
HS404.08	Chemical Store Room	-	-	FIRE RATED CEILINGS Fire rated ceiling linings are required.	CEILING Fire rated ceiling FRL 120/120/120 or walls to extend to roof level
HS404.09	Botany/Zoology Room	-	-	-	-
HS405 VISUAL ARTS LEARNING UNIT					
HS405.01	Visual Arts General Learning Space	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS405.02	Visual Arts Learning Space with Art Trough	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS405.03	Shared Visual Arts Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	OTHER - Hanging facility for three dimensional works.
HS405.04	Visual Arts Store Room	-	-	-	-
HS405.05	Visual Arts Project Store Room	-	-	-	-
HS405.06	Dark Room	-	-	-	-
HS413.01	Materials Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	CEILING - OTHER Simple hanging facility for three dimensional work Total finish to reflect the industrial environment.
HS413.02	Project Store Room	-	-	-	-
HS407 PERFORMANCE & FITNESS LEARNING UNIT					
HS406.01	Shared Health/PE & Performing Arts Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS406.02	Performing Arts Store Room	-	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS406.03	Seminar Room - Practice	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS407.02	PE & Fitness Store Room	-	RESISTANCE Impact Resistant Ceiling	-	-
HS407.04	General Learning Space - With Performance Area	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS408.01	Shared PE Fitness Laboratory with Wet Area	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS408.03	Change Room	-	RESISTANCE Water Resistant	-	-

HS409 TAS MAT 1 - KITCHEN

HS409.01	Food & Textile Technology General Learning Space with Kitchen Demonstration Bench	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS409.02	Food & Textile Technology General Learning Space with Sink	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS409.03	Shared Domestic Kitchen	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	CEILING - OTHER Avoid ledges and surfaces that could accumulate dust.
HS414.01	Semi-Commercial Kitchen	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	CEILING - OTHER Avoid ledges and surfaces that could accumulate dust.
HS409.04	Kitchen - Store Room	-	-	-	-
HS409.05	Kitchen - Preparation	-	-	-	CEILING - OTHER Avoid ledges and surfaces that could accumulate dust.
HS409.07	Pantry - Domestic	-	-	-	-
HS414.02	Pantry - Semi-Commercial	-	-	-	-
HS409.08	Laundry	-	-	-	-

HS410 TAS MAT 2 - WOOD & METAL

HS410.01	Wood & Metal Technology General Learning Space - With Sink	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
----------	------------------------------------------------------------------	------------------------------------------------------------	---	---	---



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS410.02	Wood & Metal Technology General Learning Space	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS410.03	Shared Wood & Metal Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	RESISTANCE Impact Resistant Ceiling	-	CEILING - OTHER Total finish to reflect the industrial environment.
HS410.04	Wood & Metal Materials Store Room	-	-	-	-
HS410.05	Wood & Metal Project Store Room	-	-	-	-
HS410.06	Materials Learning Space - Wood & Metal	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	RESISTANCE Impact Resistant Ceiling	-	CEILING - OTHER Total finish to reflect the industrial environment.
HS411 MULTIMEDIA LEARNING UNIT					
HS411.01	Shared Multimedia Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS411.02	Multimedia Store Room	-	-	-	-
HS411.03	Multimedia Studio	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS412 LECTURE LEARNING UNIT					
HS412.01	Lecture Theatre	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS412.02	Lecture Store Room	-	-	-	-
HS430 SPECIAL EDUCATION LEARNING UNIT (IO/IS/P)					
HS430.01	General Learning Space - IO	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS430.02	General Learning Space - IS/P	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS430.10	Shared Practical Activities Area - IO/IS/P	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS430.20	GLS Store Room - IO/IS/P	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS440 SPECIAL EDUCATION LEARNING UNIT (BD/CD/ED)					
HS440.01	General Learning Space - BD/CD/ED	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS440.10	Multipurpose Space - BD/CD/ED	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS440.20	Project Store Room - BD/CD/ED	-	-	-	-
HS450 SPECIAL EDUCATION LEARNING UNIT (TUTORIAL)					
HS450.01	Independent Learning Space - Tutorial	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS450.02	Tutorial Centre Seminar Room	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501 LIBRARY					
HS501.01	Library Main Entry	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS501.03	Library Main Area	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501.07	Printing/Photocopying Area	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS501.08	Seminar Room - Divisible	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501.09	Library Administration	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501.13	Computer Learning Space	ACOUSTIC CEILING TYPE Standard ceiling Light coloured ceiling for indirect lighting.	-	-	-
HS501.14	Computer Store Room	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501.15	Senior Study	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS501.17	Careers Adviser's Office	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501.18	System Administrator's Office	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS501.19	Communications Room	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS502 MOVEMENT COMPLEX					
HS502.01	Gymnasium	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS502.03	Gymnasium - Extension	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS502.18	Gymnasium - Half Court	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	CEILING - OTHER Roof structure able to support 4 Ropes and one set of Roman Rings on separate beams.
HS502.04	Movement Studio	ACOUSTIC CEILING TYPE Acoustic Treatment required to acoustic engineers details	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	CEILING - OTHER Ceiling to be painted or prefinished matt black.
HS502.05	Sports Equipment Store Room	-	RESISTANCE Impact Resistant Ceiling	FIRE RATED CEILINGS Fire rated ceiling linings are required.	CEILING - OTHER Ceiling to be fire rated when in a Entertainment Venue/ Community Hall building
HS502.06	Large Equipment Store Room	-	RESISTANCE Impact Resistant Ceiling	FIRE RATED CEILINGS Fire rated ceiling linings are required.	CEILING - OTHER Ceiling to be fire rated when in a Entertainment Venue/ Community Hall building
HS502.07	Outdoor Equipment Store Room	-	-	-	-
HS502.08	Chair Store Room	-	RESISTANCE Impact Resistant Ceiling	FIRE RATED CEILINGS Fire rated ceiling linings are required.	CEILING - OTHER Ceiling to be fire rated when in a Entertainment Venue/ Community Hall building
HS502.10	Movement Studio Store Room	-	RESISTANCE Impact Resistant Ceiling	FIRE RATED CEILINGS Fire rated ceiling linings are required.	CEILING - OTHER Ceiling to be fire rated when in a Entertainment Venue/ Community Hall building
HS502.11	Control Room	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS502.12	First Aid	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS502.13	Shower	-	RESISTANCE Water Resistant Ceiling	-	-
HS502.15	Staff Shower	-	RESISTANCE Water Resistant Ceiling	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS502.16	Stage	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS502.17	Demountable Platform	-	-	-	-
HS503 OUTDOOR COVERED WORKSHOP					
HS503.01	Shared Outdoor Covered Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	RESISTANCE Impact Resistant Ceiling	-	-
HS503.06	Outdoor Covered Workshop	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	RESISTANCE Impact Resistant Ceiling	-	-
HS503.02	Welding/Hot Metals Area	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	RESISTANCE Impact Resistant Ceiling	-	-
HS503.03	Kiln Space	-	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS503.04	LPG Store Room	-	-	-	-
HS503.05	Pottery Store Room	-	-	-	-
HS504 OUTDOOR LEARNING					
HS504.01	Outdoor Learning Space	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS504.02	Tiered Outdoor Learning Space	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS504.03	Outdoor Learning Space - Small Group	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Impact Resistant Ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS505 GAMES					
HS505.01	Games Court	-	-	-	-
HS505.03	Games Field	-	-	-	-
HS505.04	Batting Practice Nets	-	RESISTANCE Impact Resistant wire mesh Ceiling	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS506 AGRICULTURE					
HS506.01	Agriculture Shed Workshop	-	-	-	-
HS506.02	Agriculture Tools Storage	-	-	-	-
HS506.03	Animal Space	-	-	-	-
HS506.04	Plant Space	-	-	-	CEILING - OTHER Translucent openings in ceiling to provide natural lighting
HS506.05	Covered Area - Agriculture	-	-	-	-
HS506.06	Agriculture Plot	-	-	-	-
HS601 ADMINISTRATION UNIT					
HS601.01	Public Reception	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS601.03	Student Reception	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS601.05	Student Waiting	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS601.06	Principal's Office / Meeting Room	-	-	-	-
HS601.07	Deputy Principal's Office	--	-	-	-
HS601.08	Interview Room / Office	--	-	-	-
HS601.09	Interview Room / Meeting	-	-	-	-
HS601.11	Administration - Clerical	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS601.14	Administration- Executive	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS601.17	Store Room	-	-	-	-
HS601.18	Clinic	-	-	-	-
HS601.21	Visitor's Office	-	-	-	-
HS601.22	Tea Room	-	-	-	-
HS601.23	Utility Space	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS601.81	Entrance Zone	-	-	-	-
HS602 STAFF UNIT					
HS602.01	Staff Study	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	-	-	-
HS602.04	Staff Lounge	ACOUSTIC CEILING TYPE Standard ceiling	-	-	-
HS602.08	Preparation/Printing	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	-	-
HS602.11	Staff Toilet	-	RESISTANCE Water Resistant Ceiling	-	-
HS602.12	Access Shower/Toilet	-	RESISTANCE Water Resistant Ceiling	-	-
HS603 STUDENT SERVICES UNIT					
HS603.01	Toilets	-	RESISTANCE Water Resistant Ceiling	-	-
HS603.02	Drinking Facilities	-	-	-	-
HS603.03	Seating	-	-	-	-
HS603.04	Hand Washing Outlets	-	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS603.06	Access Shower/Toilet/Change -		RESISTANCE Water Resistant Ceiling	-	CEILING - OTHER Ceilings to be easy clean
HS603.09	Laundry	ACOUSTIC CEILING TYPE NRC: 0.6 - 0.8 Absorptive Ceiling	RESISTANCE Water Resistant Ceiling	-	CEILING - OTHER Ceilings to be easy clean
HS604 CANTEEN					
HS604.01	Canteen	ACOUSTIC CEILING TYPE Standard ceiling	RESISTANCE Non absorbent, water resistant ceiling	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	CEILING - OTHER Ceilings to be easy clean with all joints sealed
HS604.04	Canteen Office/Store Room	ACOUSTIC CEILING TYPE Standard ceiling	-	-	CEILING - OTHER Ceilings to be easy clean with all joints sealed
HS604.07	Vending Machines	-	-	-	-
HS605 STORAGE UNIT					
HS605.01	Archive Store Room	-	RESISTANCE Non absorbent, water resistant ceiling	-	CEILING - OTHER Walls and ceiling to be sealed, room enclosure must provide dry storage
HS605.03	Garden Store Room	-	-	-	-
HS605.04	Bulk Store Room	-	-	-	-
HS605.05	Cleaning Supplies Store Room	-	-	-	-
HS605.06	Cleaning Distributed Store Room	-	-	-	-
HS606 COVERED OUTDOOR SPACE					
HS606.01	Covered Outdoor Space	-	-	-	-
HS607 ASSEMBLY COURT					
HS607.01	Quadrangle	-	-	-	-
HS607.02	Flagpole	-	-	-	-
HS607.21	Assembly Zone	-	-	-	-
HS608 PEDESTRIAN CIRCULATION					
HS608.01	Paved Areas	-	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS608.02	Paved Access	-	-	-	-
HS609 VEHICULAR CIRCULATION					
HS609.01	Service Roads	-	-	-	-
HS609.04	Bulk Waste Pad	-	-	-	-
HS609.05	Car Parking	-	-	-	-
HS609.06	Bus Zone	-	-	-	-
HS609.07	Bicycle Enclosure	-	-	-	-
HS609.08	Crossovers	-	-	-	-
HS610 OPEN SPACES					
HS610.01	Open Space	-	-	-	-
HS610.11	Street Frontage Zone	-	-	-	-
HS610.12	Active Zone	-	-	-	-
HS610.13	Passive Zone	-	-	-	-
HS610.14	Boundary Zone	-	-	-	-
HS610.15	Out of Bounds Zone	-	-	-	-
HS610.16	Special Function Zone	-	-	-	-
HS611 SERVICES					
HS611.01	Dust Extraction Space	ACOUSTIC CEILING TYPE NRC >0.85 highly absorptive ceiling	-	NON COMBUSTIBLE CEILINGS Non combustible ceiling linings are required	-
HS610.17	Services Zone	-	-	-	-
HS611.02	Main Switchroom	-	-	-	-
HS611.03	Distribution Board Cupboard	-	-	-	-
HS612 SITE					
HS612.01	Fencing	-	-	-	-



Ceiling

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	ACC	RES	NC / FR	OTH
HS612.03	Waste Recycling	-	-	-	-
HS612.04	Signs	-	-	-	-
HS612.05	Site	-	-	-	-