

ID	ROOM/SPACE NAME	CW	HW	ОТН
HS401 GEN	NERAL LEARNING UNIT			
HS401.01	General Learning Space - Adjoining	-	-	-
HS401.02	General Learning Space with Independent Learning Area	-	-	-
HS401.07	General Learning Space - Divisible	-	-	-
HS401.03	Shared Learning Space with Practical Activities Area	-	-	-
HS401.04	Seminar Room- General	-	-	-
HS401.05	GLS Store Room	-	-	-
HS401.06	Practical Activities Area	COLD WATER Required to 1 x wash trough	-	-

HS402 SEI	NIOR LEARNING UNIT				
HS402.01	Shared Study Space with Practical Activities Area	-	-	-	
HS403.01	Senior Learning Centre with Practical Activities Area	-	-	-	

	IENCE LEARNING UNIT Science General Learning Space with Demonstration Bench	COLD WATER Required to demonstration sink	
HS404.10	Small Science General Learning Space	-	
HS404.02	Shared Science Laboratory	COLD WATER Type 1 - CW required to 11 x lab sinks, 1 x adjustable height lab sink, 2 x safety showers	
HS404.03	Seminar Room - Lab/Workshop	-	
HS404.04	Science Preparation	COLD WATER Required to 1 x dishwasher, 2 x lab sinks, 1 x fume cupboard	TEMPERED WATER - Required to 2 x lab sinks
HS404.06	Apparatus Store Room	-	
HS404.07	Apparatus Storage	-	· ·





Water

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	отн
HS404.08	Chemical Store Room	COLD WATER Required to 1 x hose cock	-	-
HS404.09	Botany/Zoology Room	COLD WATER Required to 1 x bucket sink, 1 x hose cock	-	-
	UAL ARTS LEARNING UNIT Visual Arts General Learning Space	-	-	-
HS405.02	Visual Arts Learning Space with Art Trough	COLD WATER Required to 1 x trough sink	-	-
HS405.03	Shared Visual Arts Workshop	COLD WATER Required to 1 x art trough, 1 x laundry trough	-	-
HS405.04	Visual Arts Store Room	-	-	-
HS405.05	Visual Arts Project Store Room	-	-	
HS405.06	Dark Room	COLD WATER Required to 1 x trough sink	TEMPERED WATER Required to 1 x trough sink	-
HS413.01	Materials Workshop	COLD WATER Required to 1 x trough sink, 1 x basin, 1 x laundry trough	-	-
HS413.02	Project Store Room	-	-	-
	RFORMANCE & FITNESS LEAR			

HS407 PERFORMANCE & FITNESS LEARNING UNIT

HS406.01	Shared Health/PE & Performing Arts Workshop	-	-	-
HS406.02	Performing Arts Store Room	-	-	-
HS406.03	Seminar Room - Practice	-	-	-
HS407.02	PE & Fitness Store Room	-	-	-
HS407.04	General Learning Space - With Performance Area	-	-	-
HS408.01	Shared PE Fitness Laboratory with Wet Area	COLD WATER Required to 1 x sink	-	-





Water

Schedule for Secondary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	нพ	ОТН
HS408.03	Change Room	-	-	-
HS409 TA	S MAT 1 - KITCHEN			
HS409.01	Food & Textile Technology	COLD WATER	TEMPERED WATER	-

113407.01	General Learning Space with Kitchen Demonstration Bench	Required to 1 x sink	Required to 1 x sink	
HS409.02	Food & Textile Technology General Learning Space with Sink	COLD WATER Required to 1 x sink	TEMPERED WATER Required to 1 x sink	-
HS409.03	Shared Domestic Kitchen	COLD WATER Required to 4 x sinks, 1 x adjustable sink, 1 x basin, 1 x dishwasher	TEMPERED WATER Required to 4 x sinks, 1 x adjustable sink, 1 x basin	-
HS414.01	Semi-Commercial Kitchen	COLD WATER Required to 4 x sinks, 1 x adjustable sink, 1 x basin, 1 x dishwasher	TEMPERED WATER Required to 4 x sinks, 1 x adjustable sink, 1 x basin	-
HS409.04	Kitchen - Store Room	-	-	-
HS409.05	Kitchen - Preparation	COLD WATER Required to 1 x sink, 1 x dishwasher	HOT WATER Required to 1 x sink	-
HS409.07	Pantry - Domestic	-	-	-
HS414.02	Pantry - Semi-Commercial	-	-	-

HS409.08 Laundry	COLD WATER	HOT WATER	-
,		Required to 1 x laundry tub, 1 x washing	
	machine, 1 x hose cock	machine	

HS410 TAS MAT 2 - WOOD & METAL COLD WATER HS410.01 Wood & Metal Technology Required to 1 x sink General Learning Space -With Sink HS410.02 Wood & Metal Technology -General Learning Space HS410.03 Shared Wood & Metal COLD WATER Required to 1 x bucket sink Workshop HS410.04 Wood & Metal Materials Store -Room HS410.05 Wood & Metal Project Store -Room HS410.06 Materials Learning Space - -Wood & Metal



ID	ROOM/SPACE NAME	CW		HW	ОТН
	TIMEDIA LEARNING UNIT Shared Multimedia Workshop		-	-	
HS411.02	Multimedia Store Room	-	-	-	
HS411.03	Multimedia Studio	-		-	
	IURE LEARNING UNIT Lecture Theatre	-	-	-	
HS412.02	Lecture Store Room	-	-	-	

HS430 SPECIAL EDUCATION LEARNING UNIT (IO/IS/P)

HS430.01	General Learning Space - IO	-		-
HS430.02	General Learning Space - IS/P	-	-	-
HS430.10	Shared Practical Activities	COLD WATER	TEMPERED WATER	-

	Area - IO/IS/P	Required to 2 x sinks, 1 x dishwasher, 1 x art trough	Required to 1 x sink	
HS430.20	GLS Store Room - IO/IS/P	-	-	-

HS440 SPECIAL EDUCATION LEARNING UNIT (BD/CD/ED)

HS440.01 General Learning Space - - BD/CD/ED

HS440.10	Multipurpose Space - BD/CD/ED	COLD WATER Required to 2 x sinks, 1 x art trough	TEMPERED WATER Required to 2 x sinks	-
HS440.20	Project Store Room - BD/CD/ED	-	-	-

HS450 SPECIAL EDUCATION LEARNING UNIT (TUTORIAL)

HS450.01 Independent Learning Space - -Tutorial



ID	ROOM/SPACE NAME	CW	HW	ОТН			
HS450.02	Tutorial Centre Seminar Room	-	-	-			
	HS501 LIBRARY						
	Library Main Entry	-	-	-			
HS501.03	Library Main Area	-	-				
HS501.07	Printing/Photocopying Area	-	-	-			
HS501.08	Seminar Room - Divisible	-	-				
HS501.09	Library Administration	COLD WATER Required to 1 x sink	TEMPERED WATER Required to 1 x sink	-			
HS501.13	Computer Learning Space	-	-				
HS501.14	Computer Store Room	-	-	-			
HS501.15	Senior Study	-	-				
HS501.17	Careers Adviser's Office	-	-	-			
HS501.18	System Administrator's Office	-	-				
HS501.19	Communications Room	-	-	-			
	VEMENT COMPLEX						
HS502.01	Gymnasium	-	-	-			
HS502.03	Gymnasium - Extension	-	-				
HS502.18	Gymnasium - Half Court	-	-	-			
HS502.04	Movement Studio	-	-				
HS502.05	Sports Equipment Store Room	-	-	-			
HS502.06	Large Equipment Store Room	-	-	-			
HS502.07	Outdoor Equipment Store Room	-	-	-			
HS502.08	Chair Store Room	-	-	-			
HS502.10	Movement Studio Store Room	-	-	-			
HS502.11	Control Room	-	-				
HS502.12	First Aid	COLD WATER Required to 1 x sink	TEMPERED WATER Required to 1 x sink	-			

The information on this sheet once printed/exported is classed as an uncontrolled copy. The currency of the information should be checked by visiting the EFSG website prior to using the information for any purposes.





ID	ROOM/SPACE NAME	CW	HW	ОТН
HS502.13	Shower	COLD WATER Required to 4 x showers, 1 x wash trough, 1 x WC, 1 x hose cock	TEMPERED WATER Required to 4 x showers	-
HS502.15	Staff Shower	COLD WATER Required to 1 x shower	TEMPERED WATER Required to 1 x shower	-
HS502.16	Stage	-	-	
HS502.17	Demountable Platform	-	-	

HS503 OUTDOOR COVERED WORKSHOP

HS503.01	Shared Outdoor Covered Workshop	-	-	-
HS503.06	Outdoor Covered Workshop	COLD WATER Required to 1 x bucket sink, 1 x hose cock	-	-
HS503.02	Welding/Hot Metals Area	-	-	-
HS503.03	Kiln Space	-	-	-
HS503.04	LPG Store Room	-	-	-
HS503.05	Pottery Store Room	-	-	-

HS504 OUTDOOR LEARNING

Small Group

HS504.01	Outdoor Learning Space	-	-	-
HS504.02	Tiered Outdoor Learning Space	-	-	-
HS504.03	Outdoor Learning Space -	-	-	-

HS505 GAMES

HS505.01	Games Court	-	-	

HS505.03 Games Field	-	-	WATER - OTHER Refer to Design Guide for irrigation requirements
HS505.04 Batting Practice Nets	-	-	-

HS506 AGRICULTURE

HS506.01 Agriculture Shed Workshop -



ID	ROOM/SPACE NAME	CW	HW	ОТН
HS506.02	Agriculture Tools Storage	-	-	-
HS506.03	Animal Space	COLD WATER Required to 1 x hose cock	-	WATER - OTHER 50 litre gravity pressure tank, ball-cock control, 20mm diameter header outlet at 2.1m for future low-pressure drinkers
HS506.04	Plant Space	COLD WATER Required to 1 x hose cock	-	-
HS506.05	Covered Area - Agriculture	COLD WATER Required to 1 x wash trough, 1 x safety shower hose, 1 x hose cock	-	-
HS506.06	Agriculture Plot	-	-	-

HS601 ADMINISTRATION UNIT

HS601.01 Public Reception	-	-	-
HS601.03 Student Reception	-	-	-

HS601.05	Student Waiting	-	-	-
HS601.06	Principal's Office / Meeting Room	-	-	-

HS601.07 Deputy Principal's Office	-	-	-
HS601.08 Interview Room / Office	-	-	-

HS601.09 Interview Room / Meeting	-	-	-
HS601.11 Administration - Clerical	-	-	-

HS601.14 Administration- Executive	-	-	-
HS601.17 Store Room	-	-	-
HS601.18 Clinic	COLDWATER	TEMPERED WATER	-
	Required to 1 x sink	Required to 1 x sink	

The information on this sheet once printed/exported is classed as an uncontrolled copy. The currency of the information should be checked by visiting the EFSG website prior to using the information for any purposes.





ID	ROOM/SPACE NAME		CW		HW		ОТН
HS601.21 Vi	sitor's Office	-		-		-	

HS601.22	Tea Room	COLD WATER Required to 1 x sink, 1 x BWU	TEMPERED WATER Required to 1 x sink	
HS601.23	Utility Space	-		-
HS601.81	Entrance Zone	-		-

HS602 STAFF UNIT

113002 317			
HS602.01	Staff Study	-	
HS602.04	Staff Lounge	COLD WATER Required to 2 x sinks, 2 x BWUs, 1 x dishwasher	TEMPERED WATER - Required to 2 x sinks
HS602.08	Preparation/Printing	COLD WATER Required to 1 x sink	TEMPERED WATER - Required to 1 x sink
HS602.11	Staff Toilet	COLD WATER Required to 1 x basin, 1 x WC	· -
HS602.12	Access Shower/Toilet	COLD WATER Required to 1 x basin, 1 x WC, 1 x shower	TEMPERED WATER - Required to 1 x basin

HS603 STL	JDENT SERVICES UNIT			
HS603.01	Toilets	COLD WATER Required to WC's, wash trough (& urinals where applicable)	-	-
HS603.02	Drinking Facilities	COLD WATER Required to drinking trough	-	-
HS603.03	Seating	-	-	-
HS603.04	Hand Washing Outlets	COLD WATER Required to hand washing	-	-
HS603.06	Access Shower/Toilet/Change	COLD WATER Types 2 & 3 - CW required to 2 x basins, 2 x WC's, 1 x shower Type 4 - CW requried to 3 x basins, 3 x WC's, 1 x shower	TEMPERED WATER Types 2 & 3 - required to 2 x basins, 1 x shower Type 4 - required to 3 x basins, 1 x shower	-
HS603.09	Laundry	COLD WATER Required to 1 x laundry tub, 1 x washing machine	HOT WATER Required to 1 x laundry tub, 1 x washing machine	-





ID	ROOM/SPACE NAME	CW	HW	ОТН
HS604 CA HS604.01		COLD WATER Required to 1 x sink, 1 x BWU, 1 x dishwasher	HOT & TEMPERED WATER Hot water requried to 1 x sink, tempered water required to basin	-
HS604.04	Canteen Office/Store Room	-	-	-
HS604.07	Vending Machines	-	-	-
	DRAGE UNIT Archive Store Room		-	
HS605.03	Garden Store Room	-	-	-
HS605.04	Bulk Store Room	-	-	-
HS605.05	Cleaning Supplies Store Room	COLD WATER Required to 1 x bucket sink		
HS605.06	Cleaning Distributed Store Room	COLD WATER Required to 1 x bucket sink	-	-
	VERED OUTDOOR SPACE Covered Outdoor Space	COLD WATER Required to 1 x hose cock	-	-
	SEMBLY COURT Quadrangle	-	-	-
HS607.02	Flagpole	-	-	-
HS607.21	Assembly Zone	-	-	-

HS608 PEDESTRIAN CIRCULATION

REVISION DATE 29 NOVEMBER 2013



ID	ROOM/SPACE NAME	CW		HW	ОТН
HS608.01	Paved Areas	-	-		-
HS608.02	Paved Access	-	-		-

HS609 VEHICULAR CIRCULATION

,				
HS609.01	Service Roads	-		
HS609.04	Bulk Waste Pad	COLD WATER Required to 1 x hose cock (within 10m)	-	-
HS609.05	Car Parking	-	-	-
HS609.06	Bus Zone	-	-	-
HS609.07	Bicycle Enclosure	-	-	-
HS609.08	Crossovers	-	-	-

HS610 OPEN SPACES HS610.01 Open Space	-	-	WATER - OTHER Refer to Design Guide for irrigation requirements
HS610.11 Street Frontage Zone	-	-	-
HS610.12 Active Zone	-	-	-
HS610.13 Passive Zone	-	-	-
HS610.14 Boundary Zone	-	-	-
HS610.15 Out of Bounds Zone	-	-	-
HS610.16 Special Function Zone	-	-	-



ID	ROOM/SPACE NAME	CW	HV	N	ОТН
HS611 SER					
	Dust Extraction Space	-	-	-	
HS610.17	Services Zone	-	-	-	
HS611.02	Main Switchroom	-	-	-	
HS611.03	Distribution Board Cupboard	-	-	-	
HS612 SIT	E				
HS612.01		-	-	-	
	Waste Recycling	-	-	-	
HS612.04	Signs	-	-	-	
HS612.05	Site	-	-	-	

29 NOVEMBER 2013