



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|------------------------------------|---|---|--|---|--|
| HS401 GENERAL LEARNING UNIT | | | | | |
| HS401.01 | General Learning Space - Adjoining | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to adjacent PAA / Withdrawal Maximum width sill at 1m. |
| HS401.02 | General Learning Space with Independent Learning Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | |
| HS401.07 | General Learning Space - Divisible | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding windows to Senior Learning Centre Maximum width window with sill at 1m. |
| HS401.03 | Shared Learning Space with Practical Activities Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to/from adjacent general learning Maximum width window with sill at 1m. |
| HS401.04 | Seminar Room- General | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window to shared learning area or workshop, Maximum width window with sill at 1m. |
| HS401.05 | GLS Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER When windows provided they must have obscure glazing and security Grills. |
| HS401.06 | Practical Activities Area | - | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Open to General Learning Space. |
| HS402 SENIOR LEARNING UNIT | | | | | |
| HS402.01 | Shared Study Space with Practical Activities Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to/from adjacent general learning Maximum width window with sill at 1m. |
| HS403.01 | Senior Learning Centre with Practical Activities Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to/from adjacent general learning Maximum width window with sill at 1m. |
| HS404 SCIENCE LEARNING UNIT | | | | | |
| HS404.01 | Science General Learning Space with Demonstration Bench | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to adjacent Laboratories Maximum width, sill height 1.2m. |
| HS404.10 | Small Science General Learning Space | - | - | - | - |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | | OB | VP | OTH |
|--|--|---|---|--|---|--|
| HS404.02 | Shared Science Laboratory | WINDOWS - Y Windows are required for this space. | - | | - | WINDOWS - OTHER Observation window to preparation, where possible, 900mm wide, from 1.2m to door Height(2.1m) Double sided fume cupboard opening to Laboratory and Preparation.(first laboratory only). other laboratories to have single sided fume cupboards. Maximise External glazing with sill height 1.2m Adjustable openings min 7% of the floor area for ventilation |
| HS404.03 | Seminar Room - Lab/Workshop | - | - | | - | WINDOW - OTHER Observation panel between Seminar and Workshop or Laboratory, min. 900mm wide x 1100mm high with sill at 1.0m. |
| HS404.04 | Science Preparation | - | - | | - | WINDOWS - OTHER Observation window to Laboratory, where possible, 900mm wide, from 1.2m to door Height(2.1m) Double sided fume cupboard opening to Laboratory and Preparation. Maximise External glazing with sill height 1.2m |
| HS404.06 | Apparatus Store Room | WINDOWS - N Windows are not required for this space. | - | | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER When windows provided they must have obscure glazing and security Grills. |
| HS404.07 | Apparatus Storage | WINDOWS - N Windows are not required for this space. | - | | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER When windows provided they must have obscure glazing and security Grills. |
| HS404.08 | Chemical Store Room | WINDOWS - N Windows are not required for this space. | - | | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER When windows provided they must have obscure glazing and security Grills. |
| HS404.09 | Botany/Zoology Room | WINDOWS - Y Windows are required for this space. | - | | - | WINDOWS - OTHER Fly screens to all openable Windows |
| HS405 VISUAL ARTS LEARNING UNIT | | | | | | |
| HS405.01 | Visual Arts General Learning Space | WINDOWS - Y Windows are required for this space. | | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to adjacent Laboratories Maximum width, sill height 1.0m. |
| HS405.02 | Visual Arts Learning Space with Art Trough | WINDOWS - Y Windows are required for this space. | | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to adjacent Laboratories Maximum width, sill height 1.0m. |
| HS405.03 | Shared Visual Arts Workshop | WINDOWS - Y Windows are required for this space. | | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding window for Observation to adjacent general learning Maximum width, sill height 1.0m. |
| HS405.04 | Visual Arts Store Room | WINDOWS - N Windows are not required for this space. | - | | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|--|--|---|--|---|---|
| HS405.05 | Visual Arts Project Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS405.06 | Dark Room | WINDOWS - N Windows are not required for this space. | - | - | WINDOWS - OTHER Room to be Lightproof. Air inlet/exhaust grills. |
| HS413.01 | Materials Workshop | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Maximise Daylight, Reduce glare and direct sunlight on machines Double glazed fixed windows between Workshop and General Learning Space with sill at 1.2m |
| HS413.02 | Project Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS407 PERFORMANCE & FITNESS LEARNING UNIT | | | | | |
| HS406.01 | Shared Health/PE & Performing Arts Workshop | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Observation window to adjacent Practice space, panel to be 900mm x 900mm H with sill at 1.2m. Double glazed fixed windows between Performance Workshop and General Learning Space with sill at 1.2m |
| HS406.02 | Performing Arts Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS406.03 | Seminar Room - Practice | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Observation window from adjacent Performance Workshop, panel to be 900mm x 900mm H with sill at 1.2m. |
| HS407.02 | PE & Fitness Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS407.04 | General Learning Space - With Performance Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Maximise windows with sill height 1m |
| HS408.01 | Shared PE Fitness Laboratory with Wet Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS OTHER Observation Panel to Seminar, panel to be min. 900mm wide x 900m high at 1.0m. Sliding windows to General Learning Spaces, maximise extent, sill height 1.0m. |
| HS408.03 | Change Room | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER Windows could be used for ventilation. If windows are included use obscure glazing and ensure visual privacy when windows open. |

HS409 TAS MAT 1 - KITCHEN



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|----------|---|---|--|---|--|
| HS409.01 | Food & Textile Technology General Learning Space with Kitchen Demonstration Bench | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS OTHER Sliding windows to adjacent Kitchen, maximise extent, sill height 1.2m. External sliding windows with fly screens, maximise extent, sill height 1.2m |
| HS409.02 | Food & Textile Technology General Learning Space with Sink | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS OTHER Sliding windows to adjacent Workshop, maximise extent, sill height 1.2m. External sliding windows with fly screens, maximise extent, sill height 1.2m |
| HS409.03 | Shared Domestic Kitchen | - | - | - | WINDOWS OTHER Sliding windows to adjacent General Learning Space, maximise extent, sill height 1.2m. External sliding windows with fly screens, maximise extent, sill height 1.2m Servery to Adjacent Preparation area, 900mm wide, from top of bench to door head height. Flyscreens to all windows, except to other fly-screened spaces. |
| HS414.01 | Semi-Commercial Kitchen | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS OTHER Sliding windows to adjacent General Learning Space, maximise extent, sill height 1.2m. External sliding windows with fly screens, maximise extent, sill height 1.2m Servery to Adjacent Preparation area, 900mm wide, from top of bench to door head height. Flyscreens to all windows, except to other fly-screened spaces. |
| HS409.04 | Kitchen - Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS409.05 | Kitchen - Preparation | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Servery to adjacent Materials Workshop, 900mm wide, from bench top level to door head height. Roller Shutter (internal timber slat style) to Servery, opening not secured. Flyscreens to all windows, except to other fly-screened spaces. |
| HS409.07 | Pantry - Domestic | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS414.02 | Pantry - Semi-Commercial | WINDOWS - Y Windows are required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS409.08 | Laundry | - | - | - | - |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|---|--|---|--|---|--|
| HS410 TAS MAT 2 - WOOD & METAL | | | | | |
| HS410.01 | Wood & Metal Technology General Learning Space - With Sink | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Double glazed Observation window between General Learning Area and Workshop. Maximise width, with sill at 1.2m Maximise External Glazing, with sill at 1.2m |
| HS410.02 | Wood & Metal Technology General Learning Space | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Double glazed Observation window between General Learning Area and Workshop. Maximise width, with sill at 1.2m Maximise External Glazing, with sill at 1.2m |
| HS410.03 | Shared Wood & Metal Workshop | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Double glazed Observation window between General Learning Area and Workshop. Maximise width, with sill at 1.2m Maximise External Glazing, with sill at 1.2m Restrict Glare and direct sun on equipment. |
| HS410.04 | Wood & Metal Materials Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS410.05 | Wood & Metal Project Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS410.06 | Materials Learning Space - Wood & Metal | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Double glazed Observation window between Theory Area and main Workshop. Maximise width, with sill at 1.2m Maximise External Glazing, with sill at 1.2m Restrict Glare and direct sun on equipment. |
| HS411 MULTIMEDIA LEARNING UNIT | | | | | |
| HS411.01 | Shared Multimedia Workshop | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Fixed glazing to adjacent general learning spaces when provided, sill height 1m Double glazed observation window to adjacent Media Studio, minimum 900mm wide 1100mm high with sill at 1m. |
| HS411.02 | Multimedia Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS411.03 | Multimedia Studio | - | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Double glazed observation window to adjacent Multi Media Workshop, minimum 900mm wide 1100mm high with sill at 1m. |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|---|--|---|--|---|---|
| HS412 LECTURE LEARNING UNIT | | | | | |
| HS412.01 | Lecture Theatre | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER Window sill to be minimum 1500mm above main front floor. |
| HS412.02 | Lecture Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS430 SPECIAL EDUCATION LEARNING UNIT (IO/IS/P) | | | | | |
| HS430.01 | General Learning Space - IO | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding windows to adjacent Practical Activity Area, Sill 1200mm. |
| HS430.02 | General Learning Space - IS/P | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Glazing to adjacent learning spaces, Sill 1200mm. Maximise external glazing, sill 1200mm |
| HS430.10 | Shared Practical Activities Area - IO/IS/P | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Glazing to adjacent Home Base/learning spaces, Sill 1200mm to 2100mm. Maximise external glazing, sill 1200mm |
| HS430.20 | GLS Store Room - IO/IS/P | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS440 SPECIAL EDUCATION LEARNING UNIT (BD/CD/ED) | | | | | |
| HS440.01 | General Learning Space - BD/CD/ED | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Sliding windows to Shared Learning Area, maximise extent with sill at 1m. |
| HS440.10 | Multipurpose Space - BD/CD/ED | WINDOWS - Y Windows are required for this space. | - | - | - |
| HS440.20 | Project Store Room - BD/CD/ED | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS450 SPECIAL EDUCATION LEARNING UNIT (TUTORIAL) | | | | | |
| HS450.01 | Independent Learning Space - Tutorial | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOW - OTHER Observation window to Seminar Tutorial Learning centre, maximise extent with sill at 1100mm. |
| HS450.02 | Tutorial Centre Seminar Room | WINDOWS - Y Windows are required for this space. | - | - | WINDOW - OTHER Fixed observation window to Independent learning centre, maximise extent with sill at 1100mm. |
| HS501 LIBRARY | | | | | |
| HS501.01 | Library Main Entry | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOW - OTHER Internal observation Glazing to Systems Administrator and Careers Advisor areas. |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|-------------------------------|-------------------------------|---|--|---|---|
| HS501.03 | Library Main Area | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOW - OTHER External glazing, sill height 1000mm min. Internal glazing to adjacent spaces, sill height 1000mm min, 1100mm max. |
| HS501.07 | Printing/Photocopying Area | - | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS OTHER Open to adjacent Main Area |
| HS501.08 | Seminar Room - Divisible | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOW - OTHER External glazing, sill height 1000mm min. Internal glazing to adjacent Main Area for supervision, sill height 1000mm min, 1100mm max. |
| HS501.09 | Library Administration | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOW - OTHER External glazing, sill height 1000mm min. Grills to external glazing Internal glazing to adjacent Main Area for supervision, sill height 1000mm min, 1100mm max. |
| HS501.13 | Computer Learning Space | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOW - OTHER External glazing, sill height 1000mm min. Grills to external glazing Internal glazing to adjacent Main Area for supervision, sill height 1000mm min, 1100mm max. |
| HS501.14 | Computer Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER Windows not to be provided |
| HS501.15 | Senior Study | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Glazing externally and internally to adjacent Main Area(Library) with sill at 1.1m. |
| HS501.17 | Careers Adviser's Office | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Glazing externally and internally to adjacent Entry with sill at 1m. |
| HS501.18 | System Administrator's Office | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Glazing externally and internally to adjacent Entry with sill at 1m. |
| HS501.19 | Communications Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER Windows not to be provided |
| HS502 MOVEMENT COMPLEX | | | | | |
| HS502.01 | Gymnasium | - | - | - | WINDOWS - OTHER Observation panel (impact resistant polycarbonate) to First Aid Room, Min. 500mm wide 2000mm high with sill at 1000mm |
| HS502.03 | Gymnasium - Extension | - | - | - | - |
| HS502.18 | Gymnasium - Half Court | - | - | - | - |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|----------|------------------------------|---|--|---|--|
| HS502.04 | Movement Studio | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Possible windows above 2.1m with brown-out capabilities Observation panel (impact resistant polycarbonate) to control room, 900mm wide 900mm high, lockable sliding window with security grill. |
| HS502.05 | Sports Equipment Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS502.06 | Large Equipment Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS502.07 | Outdoor Equipment Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS502.08 | Chair Store Room | WINDOWS - N Windows are not required for this space. | - | - | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS502.10 | Movement Studio Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS502.11 | Control Room | - | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Observation panel (impact resistant polycarbonate) to Movement Studio and Gymnasium, 900mm wide 900mm high, lockable sliding window with security grill to movement studio. |
| HS502.12 | First Aid | - | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER Reception Opening, 1800mm wide X 1200mm high at 900mm, near Gymnasium Entry, transparent openable and lockable. Observation panel (impact resistant polycarbonate) to Gymnasium, 500mm wide 900mm high at 900mm above floor. |
| HS502.13 | Shower | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and consider privacy when windows open for ventilations and reflections in mirrors. |
| HS502.15 | Staff Shower | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and consider privacy when windows open for ventilations and reflections in mirrors. |
| HS502.16 | Stage | WINDOWS - N Windows are not required for this space. | - | - | WINDOW - OTHER Proscenium opening between stage and Gymnasium |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|---------------------------------------|--------------------------------------|---|----|---|--|
| HS502.17 | Demountable Platform | - | - | - | - |
| HS503 OUTDOOR COVERED WORKSHOP | | | | | |
| HS503.01 | Shared Outdoor Covered Workshop | - | - | - | WINDOWS - OTHER Undercover area security enclosure, bounded by enclosing walls fencing or adjacent buildings. |
| HS503.06 | Outdoor Covered Workshop | - | - | - | WINDOWS - OTHER Undercover area security enclosure, bounded by enclosing walls fencing or adjacent buildings. |
| HS503.02 | Welding/Hot Metals Area | - | - | - | WINDOWS - OTHER High level windows only. |
| HS503.03 | Kiln Space | - | - | - | WINDOWS - OTHER Maximise external ventilation grill |
| HS503.04 | LPG Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | - |
| HS503.05 | Pottery Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS504 OUTDOOR LEARNING | | | | | |
| HS504.01 | Outdoor Learning Space | WINDOWS - N Windows are not required for this space. | - | - | - |
| HS504.02 | Tiered Outdoor Learning Space | WINDOWS - N Windows are not required for this space. | - | - | - |
| HS504.03 | Outdoor Learning Space - Small Group | - | - | - | - |
| HS505 GAMES | | | | | |
| HS505.01 | Games Court | - | - | - | - |
| HS505.03 | Games Field | - | - | - | - |
| HS505.04 | Batting Practice Nets | - | - | - | - |
| HS506 AGRICULTURE | | | | | |
| HS506.01 | Agriculture Shed Workshop | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|----------|----------------------------|---|----|---|--|
| HS506.02 | Agriculture Tools Storage | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS506.03 | Animal Space | - | - | - | WINDOWS - OTHER Ventilation openings required with minimum open area of 15% of floor area, preferable 20% |
| HS506.04 | Plant Space | - | - | - | WINDOWS - OTHER Translucent openings for natural light, favouring winter penetration, but excluding light exceeding a saturation level of 25 kilolux. Blue and red light should not be excluded by green only transmitting materials. |
| HS506.05 | Covered Area - Agriculture | - | - | - | - |
| HS506.06 | Agriculture Plot | - | - | - | - |

HS601 ADMINISTRATION UNIT

| | | | | | |
|----------|-----------------------------------|---|--|---|---|
| HS601.01 | Public Reception | - | - | - | WINDOWS - OTHER Glazed Observation window and reception counter to adjacent Administration. |
| HS601.03 | Student Reception | - | - | - | WINDOWS - OTHER Glazed Observation window and reception counter to adjacent Administration. |
| HS601.05 | Student Waiting | - | - | - | - |
| HS601.06 | Principal's Office / Meeting Room | WINDOWS - Y Windows are required for this space. | OBSERVATION WINDOWS Observation windows required. | - | WINDOWS - OTHER External glazing, sill height 1000mm min. Internal safety glass glazing to adjacent circulation space for supervision from floor to 2.1m height |
| HS601.07 | Deputy Principal's Office | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing, sill height 1000mm min. |
| HS601.08 | Interview Room / Office | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing recommended |
| HS601.09 | Interview Room / Meeting | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing recommended |
| HS601.11 | Administration - Clerical | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing recommended Reception window opening to adjacent Student and Public receptions, lockable, laminated glass framed sliding windows, top of recessed track flush with top of Counter. Reception windows to also have security roller shutter. |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|----------|---------------------------|---|----|---|--|
| HS601.14 | Administration- Executive | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing recommended |
| HS601.17 | Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS601.18 | Clinic | WINDOWS - Y Windows are required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER External glazing recommended Obscure to minimum height of 1.8m |
| HS601.21 | Visitor's Office | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing recommended Possible internal glazing |
| HS601.22 | Tea Room | - | - | - | - |
| HS601.23 | Utility Space | - | - | - | - |
| HS601.81 | Entrance Zone | - | - | - | - |

HS602 STAFF UNIT

| | | | | | |
|----------|----------------------|---|---|---|--|
| HS602.01 | Staff Study | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing required Possible internal glazing |
| HS602.04 | Staff Lounge | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing required Possible internal glazing |
| HS602.08 | Preparation/Printing | WINDOWS - Y Windows are required for this space. | - | - | WINDOWS - OTHER External glazing recommended |
| HS602.11 | Staff Toilet | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and ensure visual privacy when windows open |
| HS602.12 | Access Shower/Toilet | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and ensure visual privacy when windows open |

HS603 STUDENT SERVICES UNIT

| | | | | | |
|----------|----------------------|---|---|---|---|
| HS603.01 | Toilets | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOW - OTHER Fixed metal louvres preferred Obscure glazing when required Ensure Visual privacy |
| HS603.02 | Drinking Facilities | - | - | - | WINDOW - OTHER Facilities located within lockable spaces or gridded alcove, |
| HS603.03 | Seating | - | - | - | - |
| HS603.04 | Hand Washing Outlets | - | - | - | - |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|---------------------------|---------------------------------|---|----|---|--|
| HS603.06 | Access Shower/Toilet/Change | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and ensure visual privacy when windows open |
| HS603.09 | Laundry | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and ensure visual privacy when windows open Visual privacy in Laundry when en-suite to Shower/Toilet/Change Area, obscure glazing. |
| HS604 CANTEN | | | | | |
| HS604.01 | Canteen | WINDOWS - Y Windows are required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER Type 1- 3 openings + 1 optional, Type 2- 3 openings, Type 3 - 2 openings + 1 optional , Serving openings 1.5 to 1.8m wide with piers between, to enable external side hinged shutters to open fully (overlap over piers). Vermin and fly-proof external openings. Detail sills and frames to ensure hygiene surface. When windows provided to office, obscure glazing and security grills to be included |
| HS604.04 | Canteen Office/Store Room | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS604.07 | Vending Machines | - | - | - | - |
| HS605 STORAGE UNIT | | | | | |
| HS605.01 | Archive Store Room | WINDOWS - N Windows are not required for this space. | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER Windows are not to be included |
| HS605.03 | Garden Store Room | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS605.04 | Bulk Store Room | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS605.05 | Cleaning Supplies Store Room | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |
| HS605.06 | Cleaning Distributed Store Room | - | - | VISUAL PRIVACY Visual privacy is required from other spaces. | WINDOWS - OTHER If windows are included obscure glazing and security grills are required. |

HS606 COVERED OUTDOOR SPACE



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|-------------------------------------|-----------------------|---|----|----|---|
| HS606.01 | Covered Outdoor Space | - | - | - | - |
| HS607 ASSEMBLY COURT | | | | | |
| HS607.01 | Quadrangle | - | - | - | - |
| HS607.02 | Flagpole | - | - | - | - |
| HS607.21 | Assembly Zone | - | - | - | - |
| HS608 PEDESTRIAN CIRCULATION | | | | | |
| HS608.01 | Paved Areas | - | - | - | - |
| HS608.02 | Paved Access | - | - | - | - |
| HS609 VEHICULAR CIRCULATION | | | | | |
| HS609.01 | Service Roads | - | - | - | - |
| HS609.04 | Bulk Waste Pad | - | - | - | WINDOWS - OTHER Adequate screening (plantings preferred) of the pad is required. |
| HS609.05 | Car Parking | - | - | - | - |
| HS609.06 | Bus Zone | - | - | - | - |
| HS609.07 | Bicycle Enclosure | - | - | - | - |
| HS609.08 | Crossovers | - | - | - | - |
| HS610 OPEN SPACES | | | | | |
| HS610.01 | Open Space | - | - | - | - |
| HS610.11 | Street Frontage Zone | - | - | - | - |
| HS610.12 | Active Zone | - | - | - | - |
| HS610.13 | Passive Zone | - | - | - | - |
| HS610.14 | Boundary Zone | - | - | - | - |
| HS610.15 | Out of Bounds Zone | - | - | - | - |
| HS610.16 | Special Function Zone | - | - | - | - |
| HS611 SERVICES | | | | | |
| HS611.01 | Dust Extraction Space | WINDOWS - N Windows are not required for this space. | - | - | - |



Windows

Schedule for Secondary School Rooms & Spaces

| ID | ROOM/SPACE NAME | Y/N | OB | VP | OTH |
|-------------------|-----------------------------|-----|----|----|-----|
| HS610.17 | Services Zone | - | - | - | - |
| HS611.02 | Main Switchroom | - | - | - | - |
| HS611.03 | Distribution Board Cupboard | - | - | - | - |
| HS612 SITE | | | | | |
| HS612.01 | Fencing | - | - | - | - |
| HS612.03 | Waste Recycling | - | - | - | - |
| HS612.04 | Signs | - | - | - | - |
| HS612.05 | Site | - | - | - | - |