



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS401 HOME BASE UNIT					
PS401.01	Home Base with Practical Activities Area	DOOR TYPE Half glass door to circulation & outdoor learning area. An acoustic operable wall between Home Bases may be used - refer to Design Guide.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glazed door to circulation & outdoor learning spaces
PS401.11	Home Base Store Room	DOOR TYPE Door to Home Base	-	-	-
PS401.21	Withdrawal Room	DOOR TYPE Half glass door to Home Base; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to Home Base
PS401.22	Shared Withdrawal Room	DOOR TYPE Half glass door to Home Base; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to Home Base
PS401.31	Practical Activities Area	DOOR TYPE Door to outside or circulation; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to Home Bases
PS401.32	Shared Practical Activities Area	DOOR TYPE Door to outside or circulation; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to Home Bases
PS401.41	Personal Effects Storage	-	-	-	-
PS430 SPECIAL EDUCATION LEARNING UNIT - IO/IS/P					
PS430.01	Home Base with Practical Activities Area - IO	DOOR TYPE Half glass door to circulation & outdoor learning area (recommended 1m wide). An acoustic operable wall between Home Bases may be used - refer to Design Guide.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glazed door to circulation & outdoor learning spaces
PS430.02	Home Base with Practical Activities Area - IS/P	DOOR TYPE Half glass door to circulation & outdoor learning area (recommended 1m wide). An acoustic operable wall between Home Bases may be used - refer to Design Guide.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glazed door to circulation & outdoor learning spaces
PS430.11	Home Base Store Room - IO/IS/P	DOOR TYPE Door to Home Base	-	-	-
PS430.21	Withdrawal Area - IO/IS/P	DOOR TYPE Half glass door to Home Base; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to Home Bases
PS430.22	Shared Withdrawal Room - IO/IS/P	DOOR TYPE Half glass door to Home Base; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to Home Bases



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS430.31	Practical Activities Area - IO/IS/P	DOOR TYPE Door to outside or circulation; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glazed door to Home Base circulation & outdoor learning spaces
PS430.32	Shared Practical Activities Area - IO/IS/P	DOOR TYPE Door to outside or circulation; a door for acoustic separation from Home Base(s) is also desirable.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glazed door to Home Base circulation & outdoor learning spaces
PS430.41	Personal Effects Storage - IO/IS/P	-	-	-	-
PS440 SPECIAL EDUCATION LEARNING UNIT - BD/CD/ED					
PS440.01	Home Base with Practical Activities Area - BD/CD/ED	DOOR TYPE Half glass door to circulation & outdoor learning area	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glazed door to Home Base circulation & outdoor learning spaces
PS440.31	Practical Activities Area - BD/CD/ED	DOOR TYPE Half glass door to circulation & outdoor learning area. An acoustic operable wall between Home Bases may be used - refer to Design Guide.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	GLAZED DOORS Half glass door to circulation & outdoor learning area
PS501 LIBRARY UNIT					
PS501.01	Library Main Area - Small	Glazed main entry doors	-	-	GLAZED DOORS Glazed main entry doors
PS501.03	Library Main Area - Large	DOOR TYPE Glazed main entry doors; second entry/exit	-	-	GLAZED DOORS Glazed main entry doors
PS501.11	Office / Workroom	-	-	-	GLAZED DOORS A glazed door panel may be used
PS501.12	Shared Office / Workroom	-	-	-	GLAZED DOORS A glazed door panel may be used
PS501.21	Communications Room	-	-	-	-
PS501.31	KLA Resource Store Room	-	-	-	-

PS502 SPECIAL PROGRAMS UNIT



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS502.01	Special Programs Room	DOOR TYPE Full width acoustic accordian door (min 3.6m) to divide space in two	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS502.03	Special Programs Store Room	-	-	-	-
PS503 COMMUNAL HALL UNIT					
PS503.01	Communal Hall - Small	DOOR TYPE Double entry doors, motorised horizontal bifolding glazed doors or equivalent between Communal Hall and adjacent COLA Type 1 - Maximum 8m wide Type 2 - 3m high, minimum 8m wide	FIRE-RATED DOORS Fire-rated doors are required.	-	-
PS503.02	Communal Hall - Large	DOOR TYPE Double entry doors, motorised horizontal bifolding glazed doors or equivalent between Communal Hall and adjacent COLA Type 1 - Maximum 8m wide Type 2 - 3m high, minimum 8m wide	FIRE-RATED DOORS Fire-rated doors are required.	-	-
PS503.11	Chair Store Room	DOOR TYPE Minimum 1500mm clear opening Maximum 2100mm clear opening.	FIRE-RATED DOORS Fire-rated doors are required.	-	-
PS503.21	PE Store Room	DOOR TYPE Minimum 1500mm clear opening width for equipment. Fire rated	FIRE-RATED DOORS Fire-rated doors are required.	-	-
PS503.31	Sports Store Room	DOOR TYPE Minimum 1500mm clear opening width for equipment. Fire rated if part of Communal Hall Building	FIRE-RATED DOORS Fire-rated doors are required.	-	-
PS503.41	Performance Store Room	DOOR TYPE Minimum 8500mm clear opening width for equipment. Fire rated as part of Communal Hall building	FIRE-RATED DOORS Fire-rated doors are required.	-	-
PS503.51	Sound Cupboard	DOOR TYPE Maximise clear opening width for equipment.	-	-	-
PS504 COVERED OUTDOOR LEARNING AREA (COLA)					
PS504.01	Covered Outdoor Learning Area (COLA)	DOOR TYPE Possible motorised Sectional Overhead Door or equivalent from Communal Space, opening 3m high x max 8m wide.	-	-	-
PS504.03	Covered Outdoor Space	DOOR TYPE Possible motorised Sectional Overhead Door or equivalent from Communal Space, opening 3m high x max 8m wide.	-	-	-



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS505 GAMES UNIT					
PS505.01	Games Court	-	-	-	-
PS506 KILN UNIT					
PS506.01	Kiln Room	DOOR TYPE Grill and mesh gates for maximum ventilation	-	-	-
PS601 ADMINISTRATION UNIT					
PS601.01	Entry Vestibule	DOOR TYPE Glazed double main entry door . Door to internal administration circulation	-	-	GLAZED DOORS Glazed main entry door
PS601.11	Principal's Office	DOOR TYPE Connection to internal administration circulation	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS601.12	Principal / Meeting Room	DOOR TYPE Connection to internal administration circulation	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS601.13	Deputy Principal's Office	DOOR TYPE Connection to internal administration circulation	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS601.14	Deputy Principal - Double Office	DOOR TYPE Connection to internal administration circulation	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS601.15	Interview Room / Office	DOOR TYPE Connection to internal administration circulation	-	-	-
PS601.16	Interview Room	DOOR TYPE Connection to internal administration circulation	-	-	-
PS601.21	Clerical / Printing	DOOR TYPE The reception opening should have a security roller shutter on the Clerical/Printing side. An acoustic operable wall to divide room into two may be used. Two doors connecting to circulation space are recommended.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS601.23	Clerical/Printing/Workroom	DOOR TYPE The reception opening should have a security roller shutter on the Clerical/Printing side. An acoustic operable wall to divide room into two may be used. Two doors connecting to circulation space are recommended.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS601.41	Security Store Room	-	-	-	-
PS601.51	Sick Bay	DOOR TYPE As a minimum - provide a curtain, if not, a door for privacy	-	-	-
PS601.71	Community Clinic	DOOR TYPE Door for privacy within the clinic, separated from waiting. A moveable privacy screen or system should be included within the space.	-	-	-
PS601.81	Entrance Zone	-	-	-	-
PS602 STAFF UNIT					
PS602.01	Staff Room	DOOR TYPE At least one door to circulation space.	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS602.03	Staff Room - Adjoining Annexe	DOOR TYPE At least one door to circulation space. Type 3 - 2.4m Acoustic (Rw 45) accordian operable wall to Staff Studv Annex	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-
PS602.11	Staff Toilet	DOOR TYPE Door for visual privacy	-	-	-
PS602.12	Access Shower/Toilet	DOOR TYPE Impact resistant door for visual privacy and durability	-	-	-
PS602.21	Staff Room Annexe	DOOR TYPE At least one door to circulation space. Type 1 - 2.4m Acoustic (Rw 45) accordian operable wall to Staff Room	ACOUSTIC RATED DOORS Acoustic rated doors are required.	-	-

PS603 STUDENT AMENITIES



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS603.01	Toilets	DOOR TYPE External door to be grill gate	-	-	-
PS603.03	Drinking Facilities	DOOR TYPE For security purposes to be in lockable gridded, gated area.	-	-	-
PS603.04	Hand Washing Outlets	-	-	-	-
PS603.05	Seating	-	-	-	-
PS603.06	Access Shower/Toilet/Change	DOOR TYPE Door separation from other areas, for visual privacy in access shower/toilet/change area, may be curtain when appropriate.	-	-	-
PS603.09	Laundry	DOOR TYPE Minimum 1m clear width	-	-	-
PS604 CANTEEN UNIT					
PS604.01	Canteen	DOOR TYPE External door to be vermin and insect proof.	-	DOOR FRAME TYPE Detail sills and frames for hygiene	-
PS604.11	Canteen Office / Store Room	DOOR TYPE Connection to Servery/Preparation	-	-	-
PS604.21	Canteen Servery Covered Area	-	-	-	-
PS605 STORAGE UNIT					
PS605.01	Garden Store Room	DOOR TYPE Minimum 1.5m wide roller shutter for easy access	-	DOOR FRAME TYPE Include external gate or grill for security	-
PS605.11	Bulk Store Room	DOOR TYPE Minimum 1m wide door	-	-	-
PS605.21	Cleaning Supplies Store Room	DOOR TYPE Standard door	-	-	-
PS605.31	Cleaning Distributed Store Room	DOOR TYPE Standard door	-	-	-

PS607 ASSEMBLY COURT



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS607.01	Assembly Area	-	-	-	-
PS607.11	Flagpole	-	-	-	-
PS607.21	Assembly Zone	-	-	-	-
PS608 PEDESTRIAN CIRCULATION					
PS608.01	Paved Areas	-	-	-	-
PS608.02	Paved Access	-	-	-	-
PS609 VEHICULAR CIRCULATION					
PS609.01	Service Roads	-	-	-	-
PS609.11	Bulk Waste Pad	-	-	-	-
PS609.21	Car Parking	-	-	-	-
PS609.31	Bus Zone	-	-	-	-
PS609.41	Bicycle Storage Area	-	-	-	-
PS609.51	Crossovers	-	-	-	-
PS610 OPEN SPACES					
PS610.01	Free Play Area	-	-	-	-
PS610.02	Passive Play/Open Areas	-	-	-	-
PS610.11	Street Frontage Zone	-	-	-	-



Doors

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
PS610.12	Active Zone	-	-	-	-
PS610.13	Passive Zone	-	-	-	-
PS610.14	Boundary Zone	-	-	-	-
PS610.15	Out of Bounds Zone	-	-	-	-
PS610.16	Special Function Zone	-	-	-	-
PS611 SERVICES					
PS611.01	Main Switchboard Cupboard	-	-	-	-
PS611.02	Distribution Board Cupboard	-	-	-	-
PS611.11	Services Zone	-	-	-	-
PS612 SITE					
PS612.01	Fencing	-	-	-	-
PS612.11	Waste Recycling	-	-	-	-
PS612.21	Signs	-	-	-	-
PS612.31	Site	-	-	-	-