



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS401 HOME BASE UNIT					
PS401.01	Home Base with Practical Activities Area	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for hanging displays and medium impact resistance.
PS401.11	Home Base Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Allow for medium impact resistance
PS401.21	Withdrawal Room	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	-
PS401.22	Shared Withdrawal Room	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	-
PS401.31	Practical Activities Area	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Splashback 300mm high for Benches NOT to P.E.S. Allow for hanging display.
PS401.32	Shared Practical Activities Area	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Splashback 300mm high for Benches NOT to P.E.S. Allow for hanging display.
PS401.41	Personal Effects Storage	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Plywood recommended
PS430 SPECIAL EDUCATION LEARNING UNIT - IO/IS/P					
PS430.01	Home Base with Practical Activities Area - IO	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for hanging displays and medium impact resistance.
PS430.02	Home Base with Practical Activities Area - IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for hanging displays and medium impact resistance.
PS430.11	Home Base Store Room - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Allow for medium impact resistance
PS430.21	Withdrawal Area - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for medium impact resistance



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS430.22	Shared Withdrawal Room - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for medium impact resistance
PS430.31	Practical Activities Area - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Splashback 300mm high for Benches NOT to P.E.S. Allow for hanging display.
PS430.32	Shared Practical Activities Area - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Splashback 300mm high for Benches NOT to P.E.S. Allow for hanging display.
PS430.41	Personal Effects Storage - IO/IS/P	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Plywood recommended
PS440 SPECIAL EDUCATION LEARNING UNIT - BD/CD/ED					
PS440.01	Home Base with Practical Activities Area - BD/CD/ED	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for hanging displays and medium impact resistance.
PS440.31	Practical Activities Area - BD/CD/ED	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Maximise pinboard finish to 2100mm	WALL - OTHER Allow for hanging displays. Splashback 300mm high for Benches NOT to P.E.S. Allow for medium impact resistance.
PS501 LIBRARY UNIT					
PS501.01	Library Main Area - Small	-	-	PINBOARD FINISH Maximise pinboard finish to 2700mm	WALL - OTHER Pinboard above shelving 1400mm to 2700mm above floor
PS501.03	Library Main Area - Large	-	-	PINBOARD FINISH Maximise pinboard finish to 2700mm	WALL - OTHER Pinboard above shelving 1400mm to 2700mm above floor
PS501.11	Office / Workroom	-	-	-	WALL - OTHER 450mm high splashback above sink & bench
PS501.12	Shared Office / Workroom	-	-	-	WALL - OTHER 450mm high splashback above sink & bench



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS501.21	Communications Room	-	-	-	-
PS501.31	KLA Resource Store Room	-	-	-	-
PS502 SPECIAL PROGRAMS UNIT					
PS502.01	Special Programs Room	-	-	PINBOARD FINISH Maximise pinboard finish to 2700mm	WALL - OTHER Allow for hanging display
PS502.03	Special Programs Store Room	-	-	-	-
PS503 COMMUNAL HALL UNIT					
PS503.01	Communal Hall - Small	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Non-Combustible pinboard finish to minimum 4m long by 1.2m high, starting at 0.9m above floor	WALL - OTHER Non-combustible walls required. Incorporate support beams for future curtains and tracks, at front and rear of raised platform. Provide solid balustrade 1.2m high at rear of raised platform, allow for future rear curtain to drop directly in front of this wall. Impact resistant lining to 2.1m for walls.
PS503.02	Communal Hall - Large	IMPACT RESISTANCE Impact resistant walls are recommended	-	PINBOARD FINISH Non-Combustible pinboard finish to minimum 6m long by 1.2m high, starting at 0.9m above floor	WALL - OTHER Non-combustible walls required. Incorporate support beams for future curtains and tracks, at front and rear of raised platform. Provide solid balustrade 1.2m high at rear of raised platform, allow for future rear curtain to drop directly in front of this wall. Impact resistant lining to 2.1m for walls.
PS503.11	Chair Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	FIRE RATED WALL Fire rated walls required (-/60/60)	-	WALL - OTHER Fire rated walls to storeroom (-/60/60)
PS503.21	PE Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	FIRE RATED WALL Fire rated walls required (-/60/60)	-	
PS503.31	Sports Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	FIRE RATED WALL Fire rated walls required (-/60/60)	-	WALL - OTHER Fire rated walls to storeroom (-/60/60) if part of communal hall (Entertainment Venue)



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS503.41	Performance Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	FIRE RATED WALL Fire rated walls required (-/60/60)	-	WALL - OTHER Fire rated walls to storeroom (-/60/60) if part of communal hall (Entertainment Venue)
PS503.51	Sound Cupboard	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	-
PS504 COVERED OUTDOOR LEARNING AREA (COLA)					
PS504.01	Covered Outdoor Learning Area (COLA)	-	-	-	-
PS504.03	Covered Outdoor Space	-	-	-	-
PS505 GAMES UNIT					
PS505.01	Games Court	-	-	-	-
PS506 KILN UNIT					
PS506.01	Kiln Room	-	-	-	WALL - OTHER Non-combustible walls required. Mesh grills to maximise ventilation
PS601.01	Entry Vestibule	-	-	PINBOARD FINISH Maximum pinboard finish from floor to 2.1m, for Reception wall and wall with door/hallway leading to internal offices.	-
PS601.11	Principal's Office	-	-	-	-
PS601.12	Principal / Meeting Room	-	-	-	-



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS601.13	Deputy Principal's Office	-	-	-	-
PS601.14	Deputy Principal - Double Office	-	-	-	-
PS601.15	Interview Room / Office	-	-	-	-
PS601.16	Interview Room	-	-	-	-
PS601.21	Clerical / Printing	-	-	-	WALL - OTHER Splashback 450mm high to basin
PS601.23	Clerical/Printing/Workroom	-	-	-	WALL - OTHER Splashback 450mm high to basin
PS601.41	Security Store Room	-	-	-	-
PS601.51	Sick Bay	-	-	-	WALL - OTHER Splashback 450mm high to basin/bench
PS601.71	Community Clinic	-	-	-	WALL - OTHER Splashback 450mm high to basin, sink & bench
PS601.81	Entrance Zone	-	-	-	-
PS602 STAFF UNIT					
PS602.01	Staff Room	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm. Not required above splashback	WALL - OTHER Splashback 450mm high to basin, sink & bench



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS602.03	Staff Room - Adjoining Annexe	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm. Not required above splashback	WALL - OTHER Splashback 450mm high to basin, sink & bench
PS602.11	Staff Toilet	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Water resistant splashback 450mm high to basin. Water and impact resistant walls are required. Coved skirting also recommended.
PS602.12	Access Shower/Toilet	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Water and impact resistant to 2100mm high; brickwork is preferable for easy cleaning. Coved skirting also recommended.
PS602.21	Staff Room Annexe	-	-	PINBOARD FINISH Maximise pinboard finish to 2100mm. Not required above splashback	-
PS603 STUDENT AMENITIES					
PS603.01	Toilets	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Splashback 300mm high to basin/washtrough (preferably stainless steel). Water and impact resistant to 2100mm high; brickwork is preferable for easy cleaning.
PS603.03	Drinking Facilities	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Splashback 300mm high to basin/washtrough (preferably stainless steel). Water and impact resistant to 2100mm high; brickwork is preferable for easy cleaning.
PS603.04	Hand Washing Outlets	-	-	-	-
PS603.05	Seating	-	-	-	-
PS603.06	Access Shower/Toilet/Change	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Water and impact resistant to 1500mm high; brickwork is preferable for easy cleaning, as are ceramic tiles to 1500mm with coved skirting.
PS603.09	Laundry	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Water and impact resistant to 1500mm high; brickwork is preferable for easy cleaning. An easy clean water resistant splashback to laundry tub is also recommended.

PS604 CANTEEN UNIT



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS604.01	Canteen	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Water & impact resistant walls required, (preferably rendered & painted walls for hygiene and easy cleaning). Must not harbour vermin
PS604.11	Canteen Office / Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Water & impact resistant walls required, (preferably rendered & painted walls for hygiene and easy cleaning). Must not harbour vermin
PS604.21	Canteen Servery Covered Area	-	-	-	-
PS605 STORAGE UNIT					
PS605.01	Garden Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	-
PS605.11	Bulk Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Splashback 450mm high to basin/sink
PS605.21	Cleaning Supplies Store Room	IMPACT RESISTANCE Impact resistant walls are recommended	-	-	WALL - OTHER Splashback 450mm high to basin/sink
PS605.31	Cleaning Distributed Store Room	-	-	-	WALL - OTHER Stainless steel splashback 450mm high to basin/sink
PS607 ASSEMBLY COURT					
PS607.01	Assembly Area	-	-	-	-
PS607.11	Flagpole	-	-	-	-
PS607.21	Assembly Zone	-	-	-	-
PS608 PEDESTRIAN CIRCULATION					
PS608.01	Paved Areas	-	-	-	-
PS608.02	Paved Access	-	-	-	-
PS609 VEHICULAR CIRCULATION					



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS609.01	Service Roads	-	-	-	-
PS609.11	Bulk Waste Pad	-	-	-	-
PS609.21	Car Parking	-	-	-	-
PS609.31	Bus Zone	-	-	-	-
PS609.41	Bicycle Storage Area	-	-	-	-
PS609.51	Crossovers	-	-	-	-
PS610 OPEN SPACES					
PS610.01	Free Play Area	-	-	-	-
PS610.02	Passive Play/Open Areas	-	-	-	-
PS610.11	Street Frontage Zone	-	-	-	-
PS610.12	Active Zone	-	-	-	-
PS610.13	Passive Zone	-	-	-	-
PS610.14	Boundary Zone	-	-	-	-
PS610.15	Out of Bounds Zone	-	-	-	-
PS610.16	Special Function Zone	-	-	-	-
PS611 SERVICES					
PS611.01	Main Switchboard Cupboard	-	-	-	-



Wall

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	IR	FR	PF	OTH
PS611.02	Distribution Board Cupboard	-	-	-	-
PS611.11	Services Zone	-	-	-	-
PS612 SITE					
PS612.01	Fencing	-	-	-	-
PS612.11	Waste Recycling	-	-	-	-
PS612.21	Signs	-	-	-	-
PS612.31	Site	-	-	-	-