



Water

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
PS401 HOME BASE UNIT				
PS401.01	Home Base with Practical Activities Area	-	-	-
PS401.11	Home Base Store Room	-	-	-
PS401.21	Withdrawal Room	-	-	-
PS401.22	Shared Withdrawal Room	-	-	-
PS401.31	Practical Activities Area	COLD WATER Required to 3 x trough taps		-
PS401.32	Shared Practical Activities Area	COLD WATER Required to 3 x trough taps		-
PS401.41	Personal Effects Storage	-	-	-
PS430 SPECIAL EDUCATION LEARNING UNIT - IO/IS/P				
PS430.01	Home Base with Practical Activities Area - IO	-	-	-
PS430.02	Home Base with Practical Activities Area - IS/P	-	-	-
PS430.11	Home Base Store Room - IO/IS/P	-	-	-
PS430.21	Withdrawal Area - IO/IS/P	-	-	-
PS430.22	Shared Withdrawal Room - IO/IS/P	-	-	-
PS430.31	Practical Activities Area - IO/IS/P	COLD WATER Required to 3 x trough taps. Additionally for Types 2 and 3, cold water to 1 x sink tap		TEMPERED WATER Additionally for Types 2 and 3, tempered water to 1 x sink tap WATER - OTHER Additional CW & TW points if "Kitchen Area" is required
PS430.32	Shared Practical Activities Area - IO/IS/P	COLD WATER Required to 3 x trough taps. Additionally for Types 2 and 3, cold water to 1 x sink tap		TEMPERED WATER Required to tempered water to 1 x sink tap
PS430.41	Personal Effects Storage - IO/IS/P	-	-	-
PS440 SPECIAL EDUCATION LEARNING UNIT - BD/CD/ED				
PS440.01	Home Base with Practical Activities Area - BD/CD/ED	-	-	-



Water

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
PS440.31	Practical Activities Area - BD/CD/ED	COLD WATER Required to 3 x trough taps	TEMPERED WATER Additionally for Types 2 and 3, tempered water to 1 x sink tap	-
PS501 LIBRARY UNIT				
PS501.01	Library Main Area - Small	-	-	-
PS501.03	Library Main Area - Large	-	-	-
PS501.11	Office / Workroom	COLD WATER Required to 1 x sink, 1 x BWU	TEMPERED WATER Required to 1 x sink	-
PS501.12	Shared Office / Workroom	COLD WATER Required to 1 x sink, 1 x BWU	TEMPERED WATER Required to 1 x sink	-
PS501.21	Communications Room	-	-	-
PS501.31	KLA Resource Store Room	-	-	-
PS502 SPECIAL PROGRAMS UNIT				
PS502.01	Special Programs Room	COLD WATER Required to 1 x sink		-
PS502.03	Special Programs Store Room	-	-	-
PS503 COMMUNAL HALL UNIT				
PS503.01	Communal Hall - Small	-	-	-
PS503.02	Communal Hall - Large	-	-	-
PS503.11	Chair Store Room	-	-	-
PS503.21	PE Store Room	-	-	-
PS503.31	Sports Store Room	-	-	-
PS503.41	Performance Store Room	-	-	-



Water

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
PS503.51	Sound Cupboard	-	-	-
PS504 COVERED OUTDOOR LEARNING AREA (COLA)				
PS504.01	Covered Outdoor Learning Area (COLA)	-	-	-
PS504.03	Covered Outdoor Space	COLD WATER Only for Types 4 and 5, cold water required to 4 x drinking fountain taps		-
PS505 GAMES UNIT				
PS505.01	Games Court	-	-	-
PS506 KILN UNIT				
PS506.01	Kiln Room	-	-	-
PS601.01	Entry Vestibule	-	-	-
PS601.11	Principal's Office	-	-	-
PS601.12	Principal / Meeting Room	-	-	-
PS601.13	Deputy Principal's Office	-	-	-
PS601.14	Deputy Principal - Double Office	-	-	-
PS601.15	Interview Room / Office	-	-	-
PS601.16	Interview Room	-	-	-
PS601.21	Clerical / Printing	-	-	-
PS601.23	Clerical/Printing/Workroom	-	-	-
PS601.41	Security Store Room	-	-	-



Water

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
PS601.51	Sick Bay	COLD WATER Required to 1 x sink	TEMPERED WATER Required to 1 x sink	-
PS601.71	Community Clinic	COLD WATER Required to 1 x sink, basin & WC	TEMPERED WATER Required to 1 x sink & basin	-
PS601.81	Entrance Zone	-	-	-
PS602 STAFF UNIT				
PS602.01	Staff Room	COLD WATER Required to 1 x sink, 1 x BWU	TEMPERED WATER Required to 1 x sink	WATER - OTHER CW to water chiller where required
PS602.03	Staff Room - Adjoining Annexe	COLD WATER Required to 1 x sink, 1 x BWU	TEMPERED WATER Required to 1 x sink	WATER - OTHER CW to water chiller where required
PS602.11	Staff Toilet	COLD WATER Required to 1 x basin & WC		-
PS602.12	Access Shower/Toilet	COLD WATER Required to 1 x basin, WC & shower	TEMPERED WATER Required to 1 x basin & shower	-
PS602.21	Staff Room Annexe	-	-	-
PS603 STUDENT AMENITIES				
PS603.01	Toilets	COLD WATER Required to WCs	-	-
PS603.03	Drinking Facilities	COLD WATER Required to drinking fountain taps	-	-
PS603.04	Hand Washing Outlets	COLD WATER Required to hand washing outlets	-	-
PS603.05	Seating	-	-	-
PS603.06	Access Shower/Toilet/Change	COLD WATER Type 2 & Type 3 - Cold water required to 2 x basins, 2 x WCs & 1 shower Type 4 - Cold water required to 3 x basins, 3 x WCs & 1 x shower	TEMPERED WATER Type 2 & Type 3 - Tempered water required to 2 x basins & showers Type 4 - Tempered water required to 3 x basins & showers	-
PS603.09	Laundry	COLD WATER Required to 1 x laundry tub & washing machine	HOT WATER Required to 1 x laundry tub & washing machine	-
PS604 CANTEEN UNIT				
PS604.01	Canteen	COLD WATER Required to 1 x basin, 1 x sink, 1 x BWU	HOT WATER Required to 1 x sink, tempered water required to 1 x basin	-



Water

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
PS604.11	Canteen Office / Store Room			
PS604.21	Canteen Servery Covered Area	-	-	-
PS605 STORAGE UNIT				
PS605.01	Garden Store Room	-	-	-
PS605.11	Bulk Store Room	COLD WATER Required to 1 x basin, 1 x hose cock	-	-
PS605.21	Cleaning Supplies Store Room	COLD WATER Required to 1 x basin, 1 x hose cock	-	-
PS605.31	Cleaning Distributed Store Room	COLD WATER Required to 1 x basin, 1 x hose cock	-	-
PS607 ASSEMBLY COURT				
PS607.01	Assembly Area	-	-	-
PS607.11	Flagpole	-	-	-
PS607.21	Assembly Zone	-	-	-
PS608 PEDESTRIAN CIRCULATION				
PS608.01	Paved Areas	-	-	-
PS608.02	Paved Access	-	-	-
PS609 VEHICULAR CIRCULATION				
PS609.01	Service Roads	-	-	-
PS609.11	Bulk Waste Pad	-	-	-
PS609.21	Car Parking	-	-	-
PS609.31	Bus Zone	-	-	-
PS609.41	Bicycle Storage Area	-	-	-
PS609.51	Crossovers	-	-	-
PS610 OPEN SPACES				
PS610.01	Free Play Area	-	-	-
PS610.02	Passive Play/Open Areas	-	-	-
PS610.11	Street Frontage Zone	-	-	-



Water

Schedule for Primary School Rooms & Spaces

ID	ROOM/SPACE NAME		CW		HW		OTH
PS610.12	Active Zone	-		-		-	
PS610.13	Passive Zone	-		-		-	
PS610.14	Boundary Zone	-		-		-	
PS610.15	Out of Bounds Zone	-		-		-	
PS610.16	Special Function Zone	-		-		-	
PS611 SERVICES							
PS611.01	Main Switchboard Cupboard	-		-		-	
PS611.02	Distribution Board Cupboard	-		-		-	
PS611.11	Services Zone	-		-		-	
PS612 SITE							
PS612.01	Fencing	-		-		-	
PS612.11	Waste Recycling	-		-		-	
PS612.21	Signs	-		-		-	
PS612.31	Site	-		-		-	