



Doors

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP440 HOME BASE UNIT (BD/CD/ED)					
SSP440.01	Home Base - BD/CD/ED	DOOR TYPE Half glass door to circulation Solid door to outside.	-	-	GLAZED DOORS Half glazed door to circulation spaces
SSP440.11	Home Base Store - BD/CD/ED	DOOR TYPE Solid door to adjacent home base	-	-	-
SSP501 LIBRARY					
SSP501.01	Library Main Area	DOOR TYPE Glass Main Entry door Half glass door to adjacent office work room	-	-	GLAZED DOORS Full glazed main entry door. Half glazed door to adjacent office /work room spaces
SSP501.11	Office/Workroom	DOOR TYPE Half glass door to adjacent main area	-	-	GLAZED DOORS Half glazed door to adjacent main area
SSP501.21	Communications Room	DOOR TYPE Door minimum 900mm clear width for equipment	-	-	-
SSP501.32	KLA Resource Store	DOOR TYPE Door access from adjacent main area	-	-	-
SSP502 SPECIAL PROGRAMS UNIT					
SSP502.10	Special Programs Room - BD/CD/ED	DOOR TYPE External Door solid core Acoustic operable wall may be required when open to adjacent kitchen	-	-	-
SSP502.15	Kitchenette - BD/CD/ED	DOOR TYPE Acoustic operable wall may be required to adjacent Special Programs space.	-	-	-
SSP502.21	Project Store	-	-	-	-
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)					
SSP504.07	Covered Outdoor Seating Area	-	-	-	-
SSP502 GAMES					
SSP505.02	Games Court	-	-	-	-
SSP601 ADMINISTRATION UNIT					
SSP601.01	Entry Vestibule	DOOR TYPE Glass main Entry door, Door to circulation area	-	-	DOOR GLAZING Glazed entry door.
SSP601.11	Principal	-	-	-	-
SSP601.15	Interview	DOOR TYPE Solid door for visual privacy	-	-	-
SSP601.21	Clerical/Printing	DOOR TYPE Reception opening to have security roller shutter on the Clerical/Printing side. Space divided into two by Acoustic	-	-	-
SSP601.41	Security Store	-	-	-	-



Doors

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP601.51	Sick Bay	-	-	-	-
SSP601.81	Entrance Zone	-	-	-	-
SSP602 STAFF UNIT					
SSP602.01	Staff Room	DOOR TYPE Accordion door or operable door to adjacent Study Annexe (Type 3 minimum 2.4m wide) (Type 4 & 5 minimum 3.6m)	-	-	-
SSP602.30	Staff Toilet	DOOR TYPE Designed to provide user privacy Minimum 700 mm clear for Ambulant accessible WC	-	-	-
SSP603 STUDENT SERVICES UNIT					
SSP603.02	Toilets	DOOR TYPE Ensure visual privacy (consider reflections in mirrors). External door to be grill gate.	-	-	-
SSP603.04	Hand Washing Outlets	-	-	-	-
SSP603.05	Drinking Facilities	DOOR TYPE Facilities located within lockable spaces or gridded alcove.	-	-	-
SSP603.11	Access Shower/Toilet	DOOR TYPE Ensure visual privacy (consider reflections in mirrors). Minimum 1m wide clear opening For Types 2-4 - Solid Core Door without closer preferred. Curtain may be used internally for visual privacy	-	-	-
SSP603.30	Seating	-	-	-	-
SSP605 STORAGE UNIT					
SSP605.11	Bulk Store	DOOR TYPE 1.0m clear door for easy access. Minimum threshold for trolley access.	-	-	-
SSP605.21	Cleaning Supplies Store	DOOR TYPE Minimum threshold for trolley access.	-	-	-
SSP605.31	Cleaning Distributed Store	DOOR TYPE Door can open outwards for ease of access	-	-	-
SSP607 ASSEMBLY COURT					
SSP607.01	Assembly Area	-	-	-	-



Doors

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP607.11	Flagpole	-	-	-	-
SSP607.21	Assembly Zone	-	-	-	-
SSP608 PEDESTRIAN CIRCULATION					
SSP608.01	Paved Areas	-	-	-	-
SSP608.02	Paved Access	-	-	-	-
SSP609 VEHICULAR CIRCULATION					
SSP609.01	Service Roads	-	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-	-
SSP609.21	Car Parking	-	-	-	-
SSP609.51	Crossovers	-	-	-	-
SSP609.61	Student Set Down	-	-	-	-
SSP610 OPEN SPACES					
SSP610.01	Free Play Area	-	-	-	-
SSP610.02	Passive Play/Open Areas	-	-	-	-
SSP610.11	Street Frontage Zone	-	-	-	-
SSP610.12	Active Zone	-	-	-	-
SSP610.13	Passive Zone	-	-	-	-
SSP610.14	Boundary Zone	-	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-	-
SSP610.16	Special Function Zone	-	-	-	-
SSP611 SERVICES					
SSP611.01	Main Switchboard Cupboard	-	-	-	-



Doors

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP611.02	Distribution Board Cupboard	-	-	-	-
SSP611.11	Services Zone	-	-	-	-
SSP612 SITE					
SSP612.01	Boundary Fencing	-	-	-	-
SSP612.03	Zone Fencing	-	-	-	-
SSP612.21	Signs	-	-	-	-