



Windows

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP440 HOME BASE UNIT (BD/CD/ED)					
SSP440.01	Home Base - BD/CD/ED	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS - OTHER Maximum width sill at 1m.
SSP440.11	Home Base Store - BD/CD/ED	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles
SSP501 LIBRARY					
SSP501.01	Library Main Area	WINDOWS - Y Windows are required for this space.	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER Glazing to Office/Workroom, sill 1000mm min, 1100mm max.
SSP501.11	Office/Workroom	WINDOWS - Y Windows are required for this space.	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER Glazing to Office/Workroom, sill 1000mm min, 1100mm max. External glazing desirable
SSP501.21	Communications Room	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER Windows not to be provided
SSP501.32	KLA Resource Store	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles
SSP502 SPECIAL PROGRAMS UNIT					
SSP502.10	Special Programs Room - BD/CD/ED	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS OTHER External windows desirable.
SSP502.15	Kitchenette - BD/CD/ED	-	-	-	WINDOWS OTHER Internal glazing to adjoining Special Programs area and direct adjoining spaces, sill height 1.2m. Emergency egress to all windows, except to
SSP502.21	Project Store	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)					
SSP504.07	Covered Outdoor Seating Area	-	-	-	-
SSP502 GAMES					
SSP505.02	Games Court	-	-	-	-
SSP601 ADMINISTRATION UNIT					
SSP601.01	Entry Vestibule	WINDOWS - Y Windows are required for this space.	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER External Daylight is desirable. View of room from outside is desirable. Reception Counter and sliding
SSP601.11	Principal	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS OTHER External Daylight is desirable.



Windows

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP601.15	Interview	WINDOWS - Y Windows are required for this space.	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER External Daylight is desirable.
SSP601.21	Clerical/Printing	WINDOWS - Y Windows are required for this space.	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER Reception opening to adjacent Entry Vestibule with lockable, laminated glass framed sliding windows, top of recessed task flush with top of
SSP601.41	Security Store	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles to be included
SSP601.51	Sick Bay	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows included provide obscure glazing except for Observation window
SSP601.81	Entrance Zone	-	-	-	-

SSP602 STAFF UNIT

SSP602.01	Staff Room	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS OTHER External Daylight is desirable.
SSP602.30	Staff Toilet	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS - OTHER If windows are included obscure glazing and ensure visual privacy when windows open

SSP603 STUDENT SERVICES UNIT

SSP603.02	Toilets	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOW - OTHER Fixed metal louvres preferred Obscure glazing when required Ensure Visual privacy
SSP603.04	Hand Washing Outlets	-	-	-	-
SSP603.05	Drinking Facilities	-	-	-	WINDOW - OTHER Facilities located within lockable spaces or gridded alcove
SSP603.11	Access Shower/Toilet	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOW - OTHER Obscure glazing required to Ensure Visual privacy
SSP603.30	Seating	-	-	-	-

SSP605 STORAGE UNIT

SSP605.11	Bulk Store	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles
SSP605.21	Cleaning Supplies Store	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles
SSP605.31	Cleaning Distributed Store	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS - OTHER If windows are included obscure glazing and security grilles are required.



Windows

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP607 ASSEMBLY COURT					
SSP607.01	Assembly Area	-	-	-	-
SSP607.11	Flagpole	-	-	-	-
SSP607.21	Assembly Zone	-	-	-	-
SSP608 PEDESTRIAN CIRCULATION					
SSP608.01	Paved Areas	-	-	-	-
SSP608.02	Paved Access	-	-	-	-
SSP609 VEHICULAR CIRCULATION					
SSP609.01	Service Roads	-	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-	-
SSP609.21	Car Parking	-	-	-	-
SSP609.51	Crossovers	-	-	-	-
SSP609.61	Student Set Down	-	-	-	-
SSP610 OPEN SPACES					
SSP610.01	Free Play Area	-	-	-	-
SSP610.02	Passive Play/Open Areas	-	-	-	-
SSP610.11	Street Frontage Zone	-	-	-	-
SSP610.12	Active Zone	-	-	-	-
SSP610.13	Passive Zone	-	-	-	-
SSP610.14	Boundary Zone	-	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-	-
SSP610.16	Special Function Zone	-	-	-	-
SSP611 SERVICES					
SSP611.01	Main Switchboard Cupboard	-	-	-	-



Windows

Schedule for BD/CD/ED School Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP611.02	Distribution Board Cupboard	-	-	-	-
SSP611.11	Services Zone	-	-	-	-
SSP612 SITE					
SSP612.01	Boundary Fencing	-	-	-	-
SSP612.03	Zone Fencing	-	-	-	-
SSP612.21	Signs	-	-	-	-