



Illumination

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	LUX	LC	OTH
SSP430 HOME BASE UNIT (IO/IS/P)				
SSP430.01	Home Base - IO	LUX LEVEL 240 lux	LIGHTING CONTROL Minimum 2 circuits. Refer to Design Guide	-
SSP430.02	Home Base - IS/P	LUX LEVEL 240 lux	LIGHTING CONTROL Minimum 2 circuits. Refer to Design Guide	-
SSP430.11	Home Base Store - IO/IS/P	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP430.21	Withdrawal - IO/IS/P	\	LIGHTING CONTROL Refer to Design Guide	-
SSP430.31	Practical Activities Area - IO/IS/P	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP430.41	Personal Effects Storage - IO/IS/P	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP501 LIBRARY				
SSP501.01	Library Main Area	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP501.11	Office/Workroom	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP501.21	Communications Room	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP501.32	KLA Resource Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP502 SPECIAL PROGRAMS UNIT				
SSP502.04	Special Programs Room - IO/IS/P	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP502.16	Kitchenette - IO/IS/P	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP502.20	Special Programs Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP503 MULTIPURPOSE SPACE				
SSP503.01	Multipurpose Space	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP503.11	Chair Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-



Illumination

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	LUX	LC	OTH
SSP503.22	PE Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP503.33	Sports Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)				
SSP504.02	Covered Outdoor Learning Area	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP504.07	Covered Outdoor Seating Area	-	-	-
SSP502 GAMES				
SSP505.02	Games Court	-	-	-
SSP601 ADMINISTRATION UNIT				
SSP601.01	Entry Vestibule	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.11	Principal	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.13	Deputy Principal	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.15	Interview	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.16	Interview/Office	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.21	Clerical/Printing	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.41	Security Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.51	Sick Bay	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP601.81	Entrance Zone	-	-	-

SSP602 STAFF UNIT



Illumination

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	LUX	LC	OTH
SSP602.01	Staff Room	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP602.21	Staff Room Annexe	LUX LEVEL 240 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP602.30	Staff Toilet	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP603 STUDENT SERVICES UNIT				
SSP603.02	Toilets	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP603.04	Hand Washing Outlets	-	-	-
SSP603.05	Drinking Facilities	-	-	-
SSP603.10	Access Toilets/Showers	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP603.21	Laundry	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP603.30	Seating	-	-	-
SSP605 STORAGE UNIT				
SSP605.01	Garden Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP605.11	Bulk Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP605.21	Cleaning Supplies Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP605.31	Cleaning Distributed Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP605.41	General Store	LUX LEVEL 160 lux	LIGHTING CONTROL Refer to Design Guide	-
SSP607 ASSEMBLY COURT				
SSP607.01	Assembly Area	-	-	-



Illumination

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	LUX	LC	OTH
SSP607.11	Flagpole	-	-	-
SSP607.21	Assembly Zone	-	-	-
SSP608 PEDESTRIAN CIRCULATION				
SSP608.01	Paved Areas	-	-	-
SSP608.02	Paved Access	-	-	-
SSP609 VEHICULAR CIRCULATION				
SSP609.01	Service Roads	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-
SSP609.21	Car Parking	-	-	-
SSP609.51	Crossovers	-	-	-
SSP609.61	Student Set Down	-	-	-
SSP609.62	Porte Cochere	-	-	-
SSP610 OPEN SPACES				
SSP610.01	Free Play Area	-	-	-
SSP610.02	Passive Play/Open Areas	-	-	-
SSP610.11	Street Frontage Zone	-	-	-
SSP610.12	Active Zone	-	-	-
SSP610.13	Passive Zone	-	-	-



Illumination

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	LUX	LC	OTH
SSP610.14	Boundary Zone	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-
SSP610.16	Special Function Zone	-	-	-
SSP611 SERVICES				
SSP611.01	Main Switchboard Cupboard	-	-	-
SSP611.02	Distribution Board Cupboard	-	-	-
SSP611.11	Services Zone	-	-	-
SSP612 SITE				
SSP612.01	Boundary Fencing	-	-	-
SSP612.21	Signs	-	-	-