



Water

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP430 HOME BASE UNIT (IO/IS/P)				
SSP430.01	Home Base - IO	-	-	-
SSP430.02	Home Base - IS/P	-	-	-
SSP430.11	Home Base Store - IO/IS/P	-	-	-
SSP430.21	Withdrawal - IO/IS/P	-	-	-
SSP430.31	Practical Activities Area - IO/IS/P	COLD WATER CW Required to 1 x wash trough (430.31) CW Required to 1 x wash trough (430.32) CW Required to 1 x wash trough, 1 x sink, 1 x DW (430.33)	TEMPERED WATER Tempered water required to 1 x sink	-
SSP430.41	Personal Effects Storage - IO/IS/P	-	-	-
SSP501 LIBRARY				
SSP501.01	Library Main Area	-	-	-
SSP501.11	Office/Workroom	COLD WATER CW Required to 1 x sink, 1 x BWU	HOT WATER HW Required to 1 x sink	-
SSP501.21	Communications Room	-	-	-
SSP501.32	KLA Resource Store	-	-	-
SSP502 SPECIAL PROGRAMS UNIT				
SSP502.04	Special Programs Room - IO/IS/P	COLD WATER CW Required to 1 x sink	TEMPERED WATER Tempered water required to 1 x sink	-
SSP502.16	Kitchenette - IO/IS/P	COLD WATER CW Required to 1 x basin, 2 x sinks, 1 x DW	TEMPERED WATER Tempered water required to 1 x basin, 2 x sinks	-
SSP502.20	Special Programs Store	-	-	-
SSP503 MULTIPURPOSE SPACE				
SSP503.01	Multipurpose Space	-	-	-
SSP503.11	Chair Store	-	-	-



Water

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP503.22	PE Store	-	-	-
SSP503.33	Sports Store	-	-	-
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)				
SSP504.02	Covered Outdoor Learning Area	-	-	-
SSP504.07	Covered Outdoor Seating Area	-	-	-
SSP502 GAMES				
SSP505.02	Games Court	-	-	-
SSP601 ADMINISTRATION UNIT				
SSP601.01	Entry Vestibule	-	-	-
SSP601.11	Principal	-	-	-
SSP601.13	Deputy Principal	-	-	-
SSP601.15	Interview	-	-	-
SSP601.16	Interview/Office	-	-	-
SSP601.21	Clerical/Printing	-	-	-
SSP601.41	Security Store	-	-	-
SSP601.51	Sick Bay	COLD WATER CW Required to 1 x sink	TEMPERED WATER Tempered water required to 1 x sink	-
SSP601.81	Entrance Zone	-	-	-

SSP602 STAFF UNIT



Water

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP602.01	Staff Room	COLD WATER CW Required to 1 x sink, 1 x BWU (602.01) CW Required to 1 x sink, 1 x BWU, 1 x DW (602.02, 602.03 & 602.04)	TEMPERED WATER HW required to 1 x sink	-
SSP602.21	Staff Room Annexe	-	-	-
SSP602.30	Staff Toilet	COLD WATER CW Required to 1 x basin, 1 x WC	TEMPERED WATER Tempered water required to 1 x basin	-
SSP603 STUDENT SERVICES UNIT				
SSP603.02	Toilets	COLD WATER CW Required to 1 x basin, 1 x WC (603.02) CW Required to 1 x basin, 1 x urinal (603.03)	TEMPERED WATER Tempered water required to 1 x basin	-
SSP603.04	Hand Washing Outlets	COLD WATER CW Required to wash trough (quantity varies)	-	-
SSP603.05	Drinking Facilities	COLD WATER CW Required to drinking trough (quantity varies)	-	-
SSP603.10	Access Toilets/Showers	COLD WATER CW Required to 1 x basin, 1 x WC (603.10) CW Required to 1 x basin, 1 x WC, 1 x shr (603.11, 603.15) CW Required to 2 x basin, 2 x WC, 1 x shr	TEMPERED WATER Tempered water required to 1 x basin (603.10) Tempered water required to 1 x basin, 1 x shr (603.11, 603.15) Tempered water required to 2 x basin, 1 x shr	-
SSP603.21	Laundry	COLD WATER CW Required to 1 x laundry tub, 1 x washing machine	HOT WATER HW Required to 1 x laundry tub, 1 x washing machine	-
SSP603.30	Seating	-	-	-
SSP605 STORAGE UNIT				
SSP605.01	Garden Store	-	-	-
SSP605.11	Bulk Store	COLD WATER CW Required to 1 x basin	-	-
SSP605.21	Cleaning Supplies Store	COLD WATER CW Required to 1 x bucket sink	-	-
SSP605.31	Cleaning Distributed Store	COLD WATER CW Required to 1 x bucket sink	-	-
SSP605.41	General Store	-	-	-
SSP607 ASSEMBLY COURT				
SSP607.01	Assembly Area	-	-	-



Water

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP607.11	Flagpole	-	-	-
SSP607.21	Assembly Zone	-	-	-
SSP608 PEDESTRIAN CIRCULATION				
SSP608.01	Paved Areas	-	-	-
SSP608.02	Paved Access	-	-	-
SSP609 VEHICULAR CIRCULATION				
SSP609.01	Service Roads	-	-	-
SSP609.11	Bulk Waste Pad	COLD WATER Hose tap required within 10 m	-	-
SSP609.21	Car Parking	-	-	-
SSP609.51	Crossovers	-	-	-
SSP609.61	Student Set Down	-	-	-
SSP609.62	Porte Cochere	-	-	-
SSP610 OPEN SPACES				
SSP610.01	Free Play Area	COLD WATER Hose cocks inground within landscape box. 4 x at 30m intervals placed along one side of Free Play Area only. Locate minimum of 5m from a notional cycling riding	-	-
SSP610.02	Passive Play/Open Areas	COLD WATER Hose cocks inground within landscape box.	-	-
SSP610.11	Street Frontage Zone	-	-	-
SSP610.12	Active Zone	-	-	-
SSP610.13	Passive Zone	-	-	-



Water

Schedule for IO/IS/P School Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP610.14	Boundary Zone	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-
SSP610.16	Special Function Zone	-	-	-
SSP611 SERVICES				
SSP611.01	Main Switchboard Cupboard	-	-	-
SSP611.02	Distribution Board Cupboard	-	-	-
SSP611.11	Services Zone	-	-	-
SSP612 SITE				
SSP612.01	Boundary Fencing	-	-	-
SSP612.21	Signs	-	-	-