



Doors

Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP450 TUTORIAL LEARNING CENTRE					
SSP450.01	Independent Learning Space - Tutorial	DOOR TYPE Half glass door to circulation Solid door to outside. Opening to adjacent Seminar space	-	-	GLAZED DOORS Half glazed door to circulation spaces
SSP450.02	Seminar - Tutorial	DOOR TYPE open to adjacent independent learning	-	-	-
SSP430.11	Home Base Store	-	-	-	-
SSP502 SPECIAL PROGRAMS UNIT					
SSP502.11	Special Programs Room - Tutorial	DOOR TYPE Half glass door to adjacent Library Door access from circulation area. Door access to store.	-	-	GLAZED DOORS Half glazed door to adjacent main area
SSP502.20	Special Programs Store Room	-	-	-	-
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)					
SSP04.02	Covered Outdoor Learning Area (COLA)	-	-	-	-
SSP504.07	Covered Outdoor Seating Area	-	-	-	-
SSP601 ADMINISTRATION UNIT					
SSP601.81	Entrance Zone	-	-	-	-
SSP602 STAFF UNIT					
SSP602.01	Staff Room	DOOR TYPE Accordion door or operable door to adjacent Study Annexe (Type 3 minimum 2.4m wide) (Type 4 & 5 minimum 2.6m)	-	-	-
SSP602.21	Staff Room Annexe	DOOR TYPE Accordion door or operable door to adjacent Study Annexe (Type 1 minimum 2.4m wide) (Type 2 minimum 2.6m)	-	-	-
SSP602.30	Staff Toilet	DOOR TYPE Designed to provide user privacy Minimum 700 mm clear for Ambulant accessible WC	-	-	-
SSP603 STUDENT SERVICES UNIT					
SSP603.02	Toilets	DOOR TYPE Ensure visual privacy (consider reflections in mirrors). External door to be grill gate.	-	-	-
SSP603.04	Hand Washing Outlets	-	-	-	-



Doors

Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP603.05	Drinking Facilities	DOOR TYPE Facilities located within lockable spaces or gridded alcove.	-	-	-
SSP603.11	Access Shower/Toilet	DOOR TYPE Ensure visual privacy (consider reflections in mirrors). Minimum 1m wide clear opening	-	-	-
SSP603.30	Seating	For Types 2, 4 - Solid Core Door	-	-	-
SSP605 STORAGE UNIT					
SSP605.31	Cleaning Distributed Store Room	DOOR TYPE Door can open outwards for ease of access	-	-	-
SSP605.41	General Store Room	DOOR TYPE 1.8m wide minimum double doors.	-	-	-
SSP607 ASSEMBLY COURT					
SSP607.01	Assembly Area	-	-	-	-
SSP607.11	Flagpole	-	-	-	-
SSP607.21	Assembly Zone	-	-	-	-
SSP608 PEDESTRIAN CIRCULATION					
SSP608.01	Paved Areas	-	-	-	-
SSP608.02	Paved Access	-	-	-	-
SSP609 VEHICULAR CIRCULATION					
SSP609.01	Service Roads	-	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-	-
SSP609.21	Car Parking	-	-	-	-
SSP609.51	Crossovers	-	-	-	-
SSP610 OPEN SPACES					
SSP610.02	Passive Play/Open Areas	-	-	-	-
SSP610.11	Street Frontage Zone	-	-	-	-



Doors

Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	DT	FR / ACC	FT	GL
SSP610.12	Active Zone	-	-	-	-
SSP610.13	Passive Zone	-	-	-	-
SSP610.14	Boundary Zone	-	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-	-
SSP610.16	Special Function Zone	-	-	-	-
SSP611 SERVICES					
SSP611.11	Services Zone	-	-	-	-
SSP612 SITE					
SSP612.01	Boundary Fencing	-	-	-	-
SSP612.03	Zone Fencing	-	-	-	-
SSP612.21	Signs	-	-	-	-