



# Water

## Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP450 TUTORIAL LEARNING CENTRE				
SSP450.01	Independent Learning Space - Tutorial	-	-	-
SSP450.02	Seminar - Tutorial	-	-	-
SSP430.11	Home Base Store	-	-	-
SSP502 SPECIAL PROGRAMS UNIT				
SSP502.11	Special Programs Room - Tutorial	COLD WATER CW Required to 1 x sink	TEMPERED WATER Tempered water required to 1 x sink	-
SSP502.20	Special Programs Store Room	-	-	-
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)				
SSP504.02	Covered Outdoor Learning Area (COLA)	-	-	-
SSP504.07	Covered Outdoor Seating Area	-	-	-
SSP601 ADMINISTRATION UNIT				
SSP601.81	Entrance Zone	-	-	-
SSP602 STAFF UNIT				
SSP602.01	Staff Room	COLD WATER CW Required to 1 x sink, 1 x BWU (602.01) CW Required to 1 x sink, 1 x BWU, 1 x DW (602.02, 602.03 & 602.04)	TEMPERED WATER HW required to 1 x sink	-
SSP602.21	Staff Room Annexe	-	-	-
SSP602.30	Staff Toilet	COLD WATER CW Required to 1 x basin, 1 x WC	TEMPERED WATER Tempered water required to 1 x basin	-
SSP603 STUDENT SERVICES UNIT				
SSP603.02	Toilets	COLD WATER CW Required to 1 x basin, 1 x WC (603.02) CW Required to 1 x basin, 1 x urinal (603.03)	TEMPERED WATER Tempered water required to 1 x basin	-
SSP603.04	Hand Washing Outlets	COLD WATER CW Required to wash trough (quantity varies)	-	-



# Water

## Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP603.05	Drinking Facilities	COLD WATER CW Required to drinking trough (quantity varies)	-	-
SSP603.11	Access Shower/Toilet	COLD WATER CW Required to 1 x basin, 1 x WC, 1 x shr	TEMPERED WATER Tempered water required to 1 x basin, 1 x shr	-
SSP603.30	Seating	-	-	-
SSP605 STORAGE UNIT				
SSP605.31	Cleaning Distributed Store Room	COLD WATER CW Required to 1 x bucket sink	-	-
SSP605.41	General Store Room	-	-	-
SSP607 ASSEMBLY COURT				
SSP607.01	Assembly Area	-	-	-
SSP607.11	Flagpole	-	-	-
SSP607.21	Assembly Zone	-	-	-
SSP608 PEDESTRIAN CIRCULATION				
SSP608.01	Paved Areas	-	-	-
SSP608.02	Paved Access	-	-	-
SSP609 VEHICULAR CIRCULATION				
SSP609.01	Service Roads	-	-	-
SSP609.11	Bulk Waste Pad	COLD WATER Hose tap required within 10 m	-	-
SSP609.21	Car Parking	-	-	-
SSP609.51	Crossovers	-	-	-



# Water

## Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	CW	HW	OTH
SSP610 OPEN SPACES				
SSP610.02	Passive Play/Open Areas	COLD WATER Hose cocks inground within landscape box.	-	-
SSP610.11	Street Frontage Zone	-	-	-
SSP610.12	Active Zone	-	-	-
SSP610.13	Passive Zone	-	-	-
SSP610.14	Boundary Zone	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-
SSP610.16	Special Function Zone	-	-	-
SSP611 SERVICES				
SSP611.11	Services Zone	-	-	-
SSP612 SITE				
SSP612.01	Boundary Fencing	-	-	-
SSP612.03	Zone Fencing	-	-	-
SSP612.21	Signs	-	-	-