



Windows

Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP450 TUTORIAL LEARNING CENTRE					
SSP450.01	Independent Learning Space - Tutorial	-	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER External windows desirable Observation window to adjacent seminar
SSP450.02	Seminar - Tutorial	-	OBSERVATION WINDOWS Observation windows required.	-	WINDOWS OTHER Fixed window to Independent Learning Centre, maximise extent, sill height 1100mm. External Windows Desirable
SSP430.11	Home Base Store	-	-	-	-
SSP502 SPECIAL PROGRAMS UNIT					
SSP502.11	Special Programs Room - Tutorial	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS OTHER Include Observation window to adjacent Library when provided from 1.2m to 2.1m minimum 1.2m wide. Windows to adjacent circulation space desirable.
SSP502.20	Special Programs Store Room	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS OTHER When windows are provided include obscure glazing and security grilles
SSP504 COVERED OUTDOOR LEARNING AREA (COLA)					
SSP504.02	Covered Outdoor Learning Area (COLA)	-	-	-	-
SSP504.07	Covered Outdoor Seating Area	-	-	-	-
SSP601 ADMINISTRATION UNIT					
SSP601.81	Entrance Zone	-	-	-	-
SSP602 STAFF UNIT					
SSP602.01	Staff Room	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS OTHER External Daylight is desirable.
SSP602.21	Staff Room Annexe	WINDOWS - Y Windows are required for this space.	-	-	WINDOWS OTHER External Daylight is desirable.
SSP602.30	Staff Toilet	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS - OTHER If windows are included obscure glazing and ensure visual privacy when windows open
SSP603 STUDENT SERVICES UNIT					
SSP603.02	Toilets	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOW - OTHER Fixed metal louvres preferred Obscure glazing when required Ensure Visual privacy



Windows

Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP603.04	Hand Washing Outlets	-	-	-	-
SSP603.05	Drinking Facilities	-	-	-	WINDOW - OTHER Facilities located within lockable spaces or gridded alcove
SSP603.11	Access Shower/Toilet	-	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOW - OTHER Obscure glazing required to Ensure Visual privacy
SSP603.30	Seating	-	-	-	-
SSP605 STORAGE UNIT					
SSP605.31	Cleaning Distributed Store Room	WINDOWS - N Windows are not required for this space.	-	VISUAL PRIVACY Visual privacy is required from other spaces.	WINDOWS - OTHER If windows are included obscure glazing and security grilles are required.
SSP605.41	General Store Room	-	-	-	-
SSP607 ASSEMBLY COURT					
SSP607.01	Assembly Area	-	-	-	-
SSP607.11	Flagpole	-	-	-	-
SSP607.21	Assembly Zone	-	-	-	-
SSP608 PEDESTRIAN CIRCULATION					
SSP608.01	Paved Areas	-	-	-	-
SSP608.02	Paved Access	-	-	-	-
SSP609 VEHICULAR CIRCULATION					
SSP609.01	Service Roads	-	-	-	-
SSP609.11	Bulk Waste Pad	-	-	-	-
SSP609.21	Car Parking	-	-	-	-



Windows

Schedule for Tutorial Learning Centre Rooms & Spaces

ID	ROOM/SPACE NAME	Y/N	OB	VP	OTH
SSP609.51	Crossovers	-	-	-	-
SSP610 OPEN SPACES					
SSP610.02	Passive Play/Open Areas	-	-	-	-
SSP610.11	Street Frontage Zone	-	-	-	-
SSP610.12	Active Zone	-	-	-	-
SSP610.13	Passive Zone	-	-	-	-
SSP610.14	Boundary Zone	-	-	-	-
SSP610.15	Out of Bounds Zone	-	-	-	-
SSP610.16	Special Function Zone	-	-	-	-
SSP611 SERVICES					
SSP611.11	Services Zone	-	-	-	-
SSP612 SITE					
SSP612.01	Boundary Fencing	-	-	-	-
SSP612.03	Zone Fencing	-	-	-	-
SSP612.21	Signs	-	-	-	-